GEO-PHYSICAL WELL ELECTROLOGGING REPORT

Re No - 326

Date 06/01/2022

NAME OF SITE BASATPUR DHOULANA HAPUR

<u>NAME OF AGENCY</u> L C INFRA PROJECT PVT LTD AHMDABAD

M/S MAHALAXMI TUBE WELL

CONSTRUCTION OF DEEP AND SHALLOW TUBEWELL, WELL ELECTRO-LOGGING AND DEVELOPMENT OF TUBE WELL BY AIR COMPRESSUR RAJENDRA NAGAR MILL COLONY PUKHRAYAN KANPUR, 209111 9935299290, 8090118811, mahalaxmitubewell@gmail.com ISO ; 9001:2015

Geophysical Well Logging Report

Ref No - 326

Date 06/02/2022

Site Location	: - Village – Basatpur Dhoulana			
District	:- Hapur			
Logged Depth	:- 140 M BGL			
Date of Logging	:- 06/02/2022			
Water Level	:- 6+-2 Mtr			
Types of Log	:- S.P & Resistivity			
Logger used	:- IGIS			

The following permeable granular zones have been deciphered with the help of Electrical Logger .

Depth Range From M.B.G.L	Depth Range M.B.G.L.	Thickness Mtrs.	Inferred Litho logy	Quality of G.W.
0	8	8	Surface Clay with Fine sand and Kankar	
8	35	27	Fine to medium Sand	Good
35	45	10	Clay	
45	58	13	Fine to medium Sand	Good
58	67	09	Sandy Clay	
67	76	09	Fine Sand	Good
76	90	14	Sandy Clay	
90	94	04	Fine Sand	Good
94	110	16	Sandy Clay	
110	116	06	Fine to medium Sand	Good
116	132	16	Clay	
132	136	04	Fine Sand	Good
136	140	04	Clay	

Reconny

Dr.R.Srinivasa Chary (Geologist)



