GROUND WATER SURVEY CONSULTANCY.

GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL ELECTOLOGGING REPORT

Ref No:-B-19

Date:- 05-04-2024

NAME OF SITE'1111

Gram Panchayat- Bas Baraulia

BLOCK-Ambiyapur

DISTT-Badaun

NAME OF AGENCY

M/s PNC-SPML-JV Badaun



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006
(M): 9412260823, 9794625420, 9761163000, Email: gwsc_agra@yahoo.com

ISO; 9001: 2015

Ground Water Survey Consultancy

Conclusions and Recommendations :-

- 1. The Lithology broadly tallies with that of drill cutting strata chart.
- 2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tube well.
- 3. The Quality of water is expected Medium.
- 4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
- 5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geologist

Approximation of a

REPORT ON GEOPHYSICAL WELL LOGGING

GRAM PANCHAYAT- BAS BARAULIA, BLOCK- AMBIYAPUR, DISTT- BADAUN UNDER JAL JIVAN MISSION

Introduction:

A Deep bore hole was drilled 130 mtrs. depth. and Logged depth 130 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 05.April.2024.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

	S.No.	Depth range(m)	Thickness(m)	Lithology	Expected
	1.	0 - 5	5	Surface soil	Water Quality
	2.	5 - 17	12	Dry sand	
1000 (100)	3.	17 - 25	8	Clay kankar	
	4.	25 - 50	25	Medium sand	Madia
	5.	50 - 55	5	Clay kankar	Medium
	6.	55 - 66*	11	Medium sand	Medium
	7.	66 - 70	4	Clay kankar	wedium
	8.	70 - 88*	18	Fine to Med sand & kankar	Medium
e de la constante de la consta	9.	88 - 101	13	Clay kankar	Wicdiani
	10.	101 - 112*	11	Fine to Medium sand	Medium
	11.	112 - 122	10	Clay kankar	Wicdialli
	12.	122 - 130*	8	Fine to Medium sand	Medium



