

GEO-PHYSICAL WELL ELECTROLOGGING REPORT

Re No -188

Date 29/11/2021

NAME OF SITE
BALANAGAR
BLOCK – HASANPUR
AMROHA

NAME OF AGENCY
G A INFRA PVT LIMITED
MUZAFFARNAGAR

M/S MAHALAXMI TUBE WELL
CONSTRUCTION OF DEEP AND SHALLOW TUBEWELL, WELL ELECTRO-
LOGGING AND DEVELOPMENT OF TUBE WELL BY AIR COMPRESSUR
RAJENDRA NAGAR MILL COLONY PUKHRAYAN KANPUR, 209111
9935299290, 8090118811, mahalaxmitubewell@gmail.com
ISO : 9001:2015

Geophysical Well Logging Report



Ref No - 188


Date 29/11/2021

Site Location :- Balanagar
Block :- Hasanpur
District :- Amroha
Logged Depth :- 117 M BGL
Date of Logging :- 29/11/2021
Types of Log :- S.P & Resistivity
Logger used :- IGIS

The following permeable granular zones have been deciphered with the help of Electrical Logger.

Depth Range From M.B.G.L.	Depth Range M.B.G.L.	Thickness Mtrs.	Inferred Lithology	Quality of G.W.
0	5	5	Surface Clay with Fine sand and Kankar	
5	10	5	Sand	
10	15	5	Clay	
15	25	10	Sand	Good
25	35	10	Clay	
35	67	32	Sand	Good
67	80	13	Sandy Clay	
80	108	28	Sand	Good
108	117	09	Sandy Clay	



Dr. S. Sivasa Chary
(Geologist)



GEO-PHYSICAL WELL ELECTROLOGGING REPORT

Re No -232

Date 11/12/2021

NAME OF SITE
CHACHAURA
BLOCK -HASANPUR
AMROHA

SUBMITTED BY
PNC-SPML JV
AMROHA

M/S MAHALAXMI TUBE WELL
CONSTRUCTION OF DEEP AND SHALLOW TUBEWELL, WELL ELECTRO-
LOGGING AND DEVELOPMENT OF TUBE WELL BY AIR COMPRESSUR
RAJENDRA NAGAR MILL COLONY PUKHRAYAN KANPUR, 209111
9935299290, 8090118811, mahalaxmitubewell@gmail.com
ISO ; 9001:2015

Geophysical Well Logging Report

Ref No 232

Date 11/12/2021

Site Location :- Village -Chachoura Block - Hasanpur
District :- Amroha
Logged Depth :- 140 M BGL
Date of Logging :- 11/12/2021
Types of Log :- S.P & Resistivity
Logger used :- IGIS

The following permeable granular zones have been deciphered with the help of Electrical Logger .

Depth Range From M.B.G.L	Depth Range M.B.G.L	Thickness Mtrs.	Inferred Lithology	Quality of G.W.
0	15	15	Surface Clay with Fine sand and Kankar	
15	40	25	Fine sand	
40	48	08	Clay	
48	75	27	Sand	Good
75	80	05	Clay	
80	94	14	Sand	Good
94	97	03	Clay	
97	120	23	Sand	Good
120	125	05	Sandy Clay	
125	135	10	Fine sand	Good
135	140	05	Clay	



(For Mahalaxmi Tubewell)

