GEO-PHYSICAL WELL ELECTROLOGGING REPORT

Re No - 11/137

Date- 28/11/2023

NAME OF SITE **CHIRAURA** SARVANKHERA KANPUR DEHAT LETS NAME OF AGENCY VSAIIPL_SCL (JV) HYDERABAD

M/S MAHALAXMI TUBE WELL CONSTRUCTION OF DEEP AND SHALLOW TUBEWELL, WELL ELECTRO-

LOGGING AND DEVELOPMENT OF TUBE WELL BY AIR COMPRESSUR **RAJENDRA NAGAR MILL COLONY PUKHRAYAN KANPUR, 209111** 9935299290, 8090118811, mahalaxmitubewell@gmail.com ISO: 9001:2015



M/s Mahalaxmi Tube well



Rajnendra Nagar Pukhrayan Kanpur 9935299290mahalaxmitubewell@gmail.com

Geophysical Well Logging Report

Ref	No	- 1	1/1	37
-----	----	-----	-----	----

Date - 28/11/2023

Site Location	: - Chiraura Sarvankhera Kanpur Dehat	
District	: - Kanpur Dehat	
Logged Depth	: - 251M BGL	
Date of Logging	: - 27/11/2023	
Types of Log	: - S.P& N16, N-64 LAT	
Logger used	: - IGIS	
Name of Agency	: - VSAIIPL_SCL (JV) Hyderabad	
The fells	wing permeable grapular zenec have bee	

The following permeable granular zones have been deciphered with the 3 W La 100 10 help of Electrical Logger

Sr N0	Depth Range From M.B.G.L	Depth Range M.B.G.L.	Thickness Mtr.	Inferred Lithology	Quality of G.W.
01	30	38	08	Fine to medium Sand	All Good
02	57	67	10	Fine to medium Sanu	
03	200	215	15		Cood to
04	226	237	11	Fine Sand	Good to Moderate

Note- All zones are intermixed with fine bands of kankar. Quality of the formation water is deteriorating between from 95 mbgl to 185 mbgl.

M/s Mahalaxmi Tube Well



ен, ж. _т

 $\left(\right)$

O Scanned with OKEN Scanner

M/s Mahalaxmi Tube well

Rajnendra Nagar Pukhrayan Kanpur 9935299290 Geophysical Well Logging Report

Ref No-1779

Date- 30/12/2022

Site Location	: - Kurari Sarwankheda Kanpur Dehat
District	: - Kanpyr Dehat
Logged Depth	: - 253 M BGL
Date of Logging	: - 29/12/2022
Types of Log	: - SP & N16, N-64 LAT
Logger used	:-Jars

The following permeable granular zones have been deciphered with the help of Electrical Logger

MT.	inferred Lithology	Quality of G.W.
08		
04		
10	Fine to Medium sand	All Good
04		
20		
14		
	04	04 20

Note- All zones are intermixed with fine bands of kankar. Sr no 04 05 & 06 are highly



