GROUND WATER SURVEY CONSULTANCY

GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL ELECTOLOGGING REPORT

Ref No:- 1448

Date:- 27-12-2022

NAME OF SITE

Gram Panchayat- Amiliya

BLOCK-Salarpur

DISTT- Badaun

NAME OF AGENCY

M/s PNC-SPML-JV Badaun



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.

112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006

(M): 9412260823, 9794625420, 9761163000, Email: gwsc agra@yahoo.com

ISO; 9001: 2015

Ground Water Survey Consultancy Agra



Conclusions and Recommendations :-

- The Lithology broadly tallies with that of drill cutting strata chart.
- The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
- The Quality of water is expected Good.
- 4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
- All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist

Ground Water Survey Consultancy

REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- AMILIYA, BLOCK- SALARPUR, DISTT.- BADAUN UNDER JAL JIVAN MISSION

Introduction:

A Deep bore hole was drilled 110 mtrs. depth. and Logged depth 110 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun, a Geophysical well Logging is conduct at above bore hole using IGIS Well Logger on 27.Dec.2022.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected
1.	0 - 5	5	Surface soil	Water Quality
3.	5 - 18	13	Dry sand	
4.	18 - 30 30 - 40	12	Clay kankar	
5.	40 - 48	10	Medium sand	Good
6.	48 - 78*	30	Clay kankar	
7. ₁ 8.	78 - 82	4	Medium sand Clay kankar	Good
9.	82 - 96*	14	Medium sand	
	96 - 110	14	Clay kankar	Good



