GROUND WATER SURVEY CONSULTANCY

GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL ELECTOLOGGING REPORT

Ref No:-A-510

Date: - 22-03-2023

NAME OF SITE

Gram Panchayat- Ughaiti

BLOCK- Sahaswan

DISTT-Badaun

NAME OF AGENCY

M/s PNC-SPML-JV Badaun



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006
(M): 9412260823, 9794625420, 9761163000, Email: gwsc_agra@yahoo.com

Ground Water Survey Consultancy

REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- UGHAITI, BLOCK- SAHASWAN, DISTT.- BADAUN UNDER JAL JIVAN MISSION

Introduction:

A Deep bore hole was drilled 142 mtrs. depth. and Logged depth 140 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging is conduct at above bore hole using IGIS Well Logger on 22.Mar.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major equifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 17	12	Dry sand	
3.	17 - 25	8	Clay kankar	
4.	25 - 42	17	Fine to Medium sand	Good
5.	42 - 61	19	Clay kankar	
6.	61 - 74*	13	Fine to Medium sand	Good
7.	74 - 78	4	Clay kankar	
8.	78 - 91*	13	Medium sand	Good
9.	91 - 98	7	Clay kankar	
10.	98 - 113*	15	Medium sand	Good
11.	113 - 120	7	Clay kankar	
12.	120 - 132*	12	Medium sand	Good
13.	132 - 140	8	Clay kankar	



Conclusions and Recommendations:-

- 1. The Lithology broadly tallies with that of drill cutting starta chart.
- The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
- 3. The Quality of water is expected Good.
- It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
 - All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.



Ground Water Survey Consultancy

0 00 SES Negative Ser m V Ohm m ********* -60 250--8 350-8 150-100-50-0 Wi-**5**-3-8 **K**-8-**%**-2 D **a**-Thy Ward Sale 5-୫-ػۣ ٤. 8-8-Depth (m) 귕-Ħ-3 Z 8-0 e. 8-3g. Ø: ä 1115 13 Ž, ø. 3 죵-