

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL
ELECTOLOGGING REPORT**

Ref No:-A- 1419

Date:- 17-08-2023

NAME OF SITE

Gram Panchayat- Basawanpur

BLOCK- Ambiyapur

DISTT- Badaun

NAME OF AGENCY


M/s PNC-SPML-JV
Badaun



GROUND WATER SURVEY CONSULTANCY
Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006
(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO ; 9001 : 2015

Ground Water Survey Consultancy



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- BASAWANPUR, BLOCK- BASAWANPUR, DISTT.- BADAUN
UNDER
JAL JIVAN MISSION

Introduction :

A Deep bore hole was drilled 130 mtrs. depth. and Logged depth 130 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging is conduct at above bore hole using IGIS Well Logger on 17.Aug.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major equifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 18	13	Dry sand	
3.	18 - 25	7	Clay kankar	
4.	25 - 30	5	Medium sand	Medium
5.	30 - 34	4	Clay kankar	
6.	34 - 47	13	Medium sand & kankar	Medium
7.	47 - 55	8	Clay kankar	
8.	55 - 66*	11	Medium sand	Medium
9.	66 - 75	9	Clay kankar	
10.	75 - 82*	7	Fine to Medium sand	Medium
11.	82 - 85	3	Clay kankar	
12.	85 - 100*	15	Medium sand	Medium
13.	100 - 110	10	Clay kankar	
14.	110 - 118*	8	Medium sand	Medium
15.	118 - 130	12	Clay kankar	

Ground Water Survey Consultancy



Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting starta chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist



Ground Water Survey Consultancy

Reso 1
K NISIN
K NISIN
K LAT

Logging Interval
Logging at 10m intervals
Resistivity - 1000 Ohm m
Electrode - 100 cm
20 Aug 2023
13.24
Location - Lucknow, INDIA

Logger Name: _____
LOGS/02/22-23

SP (mV)
Logger Model: _____
DMP1-2

Logger Generated by:
GROUND WATER
SURVEY
CONSULTANCY
AGRA, UP, INDIA

