

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL
ELECTROLOGGING REPORT**

Ref No:-A-2344


Date:-12-12-2023

NAME OF SITE

GRAM PANCHAYAT- Chungi Bahar & Meera Sariya BLOCK- Ujhani
DISTT- Badaun

NAME OF AGENCY

M/s PNC-SPML-JV
Badaun



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006
(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO ; 9001 : 2015

Ground Water Survey Consultancy



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- CHUNGI BAHAR & MEERA SARIYA, BLOCK- UJHANI,
DISTT- BADAUN

UNDER JAL JIVAN MISSION

Introduction :


A Deep bore hole was drilled 140 mtrs. depth. and Logged depth 140 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging is conduct at above bore hole using IGIS Well Logger on 12.Dec.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 10	5	Clay kankar	
3.	10 - 20	10	Dry sand	
4.	20 - 26	6	Clay kankar	
5.	26 - 39	13	Medium sand	Medium
6.	39 - 47	8	Clay kankar	
7.	47 - 59*	12	Medium sand	Medium
8.	59 - 64	5	Clay kankar	
9.	64 - 70*	6	Medium sand	Medium
10.	70 - 75	5	Clay kankar	
11.	75 - 81*	6	Medium sand	Medium
12.	81 - 94	13	Clay kankar	
13.	94 - 108*	14	Medium sand	Medium
14.	108 - 117	9	Clay kankar	
15.	117 - 119	2	Fine sand	Medium
16.	119 - 124	5	Clay kankar	
17.	124 - 132*	8	Medium sand	Medium
18.	132 - 140	8	Clay kankar	

Ground Water Survey Consultancy



Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geologist



Sheet
 N16 (SM)
 N64(LIN)
 LAT

Logging Details
 Logging for Cheng Bore &
 Cheng Bore
 Date of Logging
 12/04/2022
 43.54
 Cheng Bore, AG

Logger's Name
 KGS.S.PA.21-22

Logger Model
 DMP-L-2

Logged Curves by
 GROUND WATER
 SURVEY
 CONSULTANCY
 - AGRA INDIA

