

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL
ELECTOLOGGING REPORT**

Ref No:-A-2156

Date:- 06-11-2023

NAME OF SITE

GRAM PANCHAYAT- Jirauli

BLOCK- Ujhani

DISTT- Badaun

NAME OF AGENCY

M/s PNC-SPML-JV
Badaun



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.

112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006

(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO ; 9001 : 2015

Ground Water Survey Consultancy

Agra



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- JIRAULI, BLOCK- UJHANI, DISTT- BADAUN UNDER JAL JIVAN MISSION

Introduction :


A Deep bore hole was drilled 135 mtrs. depth. and Logged depth 130 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 06.Nov.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 18	13	Dry sand	
3.	18 - 24	6	Clay kankar	
4.	24 - 27	3	Fine sand	
5.	27 - 33	6	Clay kankar	
6.	33 - 40	7	Fine sand	Medium
7.	40 - 55	15	Clay kankar	
8.	55 - 73*	18	Medium sand	Medium
9.	73 - 80	7	Clay kankar	
10.	80 - 85 ⁺	5	Medium sand	Medium
11.	85 - 90	5	Clay kankar	
12.	90 - 95*	5	Medium sand	Medium
13.	95 - 100	5	Clay kankar	
14.	100 - 103*	3	Medium sand	Medium
15.	103 - 115	12	Clay kankar	
16.	115 - 126*	11	Medium sand	Medium
17.	126 - 130	4	Clay kankar	

Ground Water Survey Consultancy



Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist



Ground Water Survey Consultancy

Rho a
 M16 (SM)
 N64(K)(N)
 LAT

Logging Details
 Logging SP Resist Block
 Uppan Datt Budhan
 UP COGNISUP
 06 Nov 2023
 16:58
 Uppan Datt (AG)

Logger's No.
 IGI/S/07/21-22

Logger Model:
 SP (m V)
 DN/PI-2

Logger Owned by:
 GROUND WATER
 SURVEY
 CONSULTANCY
 AGRA, UP, India

