

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL
ELECTROLOGGING REPORT**

Ref No:-B-2197

Date:-24-10-2023

NAME OF SITE

GRAM PANCHAYAT- Ahirawara

BLOCK- Ujhani

DISTT- Badaun

NAME OF AGENCY

M/s PNC-SPML-JV
Badaun




GROUND WATER SURVEY CONSULTANCY
Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006
(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO ; 9001 : 2015

Ground Water Survey Consultancy

Agra



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- AHIRAWARA, BLOCK- UJHANI, DISTT- BADAUN
UNDER
JAL JIVAN MISSION

Introduction :


A Deep bore hole was drilled 140 mtrs. depth. and Logged depth 140 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging is conduct at above bore hole using IGIS Well Logger on 24.Oct.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 16	11	Dry sand	
3.	16 - 21	5	Clay kankar	
4.	21 - 31	10	Fine to Medium sand	
5.	31 - 36	5	Clay kankar	
6.	36 - 51	15	Medium sand	Medium
7.	51 - 58	7	Clay kankar	
8.	58 - 66*	8	Medium sand	Medium
9.	66 - 74	8	Clay kankar	
10.	74 - 80*	6	Fine to Medium sand	Medium
11.	80 - 93	13	Clay kankar	
12.	93 - 98*	5	Fine to Medium sand	Medium
13.	98 - 111	13	Clay kankar	
14.	111 - 128*	17	Medium sand	Medium
15.	128 - 140	12	Clay kankar	

Ground Water Survey Consultancy



Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist



Ground Water Survey Consultancy

GROUND WATER
SURVEY
CONSULTANCY
AGRA, UP, India

Logger Owned by:

DMMPL-2

Logger Model:

SP (m V)

Logger S No:
IG/S/01/21-22

Logging Details:
LOGGING OF ANOMALOUS
BANDS USING EM EARTH
RESISTIVITY
22 OCT 2022
17.45
UNIVERSITY COLLEGE AGRA

Rho a
N16 (SN)
N64(LN)
LAT

