

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL
ELECTROLOGGING REPORT

Ref No:-A-1773

Date:- 04-10-2023

NAME OF SITE

GRAM PANCHAYAT- Bhoorh Khitauria BLOCK- Sahaswan DISTT- Badaun

NAME OF AGENCY

M/s PNC-SPML-JV
Badaun



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.

112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006

(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO ; 9001 : 2015

Ground Water Survey Consultancy
Agra

JSC

REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- BHOORH KHITAURA, BLOCK- SAHASWAN, DISTT- BADAUN
UNDER
JAL JIVAN MISSION

Introduction :

A Deep bore hole was drilled 140 mtrs. depth. and Logged depth 140 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging is conduct at above bore hole using IGIS Well Logger on 04.Oct.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 15	10	Dry sand	
3.	15 - 30	15	Clay kankar	
4.	30 - 52*	22	Medium sand	Medium
5.	52 - 63	11	Clay kankar	
6.	63 - 70*	7	Medium sand	Medium
7.	70 - 77	7	Clay kankar	
8.	77 - 101*	24	Medium sand	Medium
9.	101 - 112	11	Clay kankar	
10.	112 - 115*	3	Medium sand	Medium
11.	115 - 121	6	Clay kankar	
12.	121 - 125*	4	Medium sand	Medium
13.	125 - 140	15	Clay kankar	

Ground Water Survey Consultancy




Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist



Ground Water Survey Consultancy



Rho a
 N16 (SN)
 N64(LN)
 LAT
 Logging Details:
 Logging GP Beacon
 Minibus Back Support
 Data Bureau
 UP CGS/NS/SP
 04 Oct 2023
 11:00
 Utsav B. Jais (AG)

Logger S/ No:
 IGIS/S/02/22-23

SP (m V)
 Logger Model:
 DMPL-2
 Logger Owned by:
 GROUND WATER
 SURVEY
 CONSULTANCY
 AGRA, UP, INDIA

