

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL
ELECTOLOGGING REPORT**

Ref No:-A- 1525

Date:- 27-08-2023

NAME OF SITE


GRAM PANCHAYAT- Pindaul

BLOCK- Ambiyapur

DISTT- Badaun

NAME OF AGENCY


M/s PNC-SPML-JV
Badaun



GROUND WATER SURVEY CONSULTANCY
Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006
(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO ; 9001 ; 2015

Ground Water Survey Consultancy



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- PINDAUL, BLOCK- AMBIYAPUR,
DISTT- BADAUN
UNDER
JAL JIVAN MISSION

Introduction :


A Deep bore hole was drilled 140 mtrs. depth. and Logged depth 140 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging is conduct at above bore hole using IGIS Well Logger on 27 Aug.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 18	13	Dry sand & kankar	
3.	18 - 24	6	Fine sand	
4.	24 - 32	8	Clay kankar	Medium
5.	32 - 41	9	Medium sand	
6.	41 - 61	20	Clay kankar	Medium
7.	61 - 74*	13	Medium sand	
8.	74 - 76	2	Clay kankar	Medium
9.	76 - 90*	14	Medium sand	
10.	90 - 105	15	Clay kankar	Medium
11.	105 - 110*	5	Medium sand	
12.	110 - 118	8	Clay kankar	Medium
13.	118 - 125*	7	Medium sand	
14.	125 - 128	3	Clay kankar	Medium
15.	128 - 134*	6	Medium sand	
16.	134 - 140	6	Clay kankar	Medium


Ground Water Survey Consultancy



Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist


Ground Water Survey Consultancy

Rho s
 NI6 (SN)
 NI6(LIN)
 LAT

Logging Details
 Logging Date: 2011-02-23
 Logging Time: 10:30 AM
 Logging Location: ...
 Logging Operator: ...
 Logging Company: ...

Logger ID No: ...
 IIGIS/SP/02/22-23

SP (m V)
 Logger Model: ...
 DMP/L-2

Logger Owned by:
 GROUND WATER
 SURVEY
 CONSULTANCY
 AGRA, UP, INDIA

