

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL
ELECTROLOGGING REPORT**

Ref No:-A-2076

Date:- 31-10-2023

NAME OF SITE

GRAM PANCHAYAT- Lahraladpur

BOCK- Wazirganj

DISTT- Badaun

NAME OF AGENCY

M/s PNC-SPML-JV
Badaun



GROUND WATER SURVEY CONSULTANCY


Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.

112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006

(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO ; 9001 : 2015

Ground Water Survey Consultancy



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- LAHRALADPUR, BLOCK- WAZIRGANJ,
DISTT- BADAUN
UNDER
JAL JIVAN MISSION

Introduction :

A Deep bore hole was drilled 140 mtrs. depth, and Logged depth 140 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.


On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging is conduct at above bore hole using IGIS Well Logger on 31.Oct.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 20	15	Dry sand	
3.	20 - 30	10	Clay kankar	
4.	30 - 49	19	Medium sand	Medium
5.	49 - 51	2	Clay kankar	
6.	51 - 80	29	Medium sand	Medium
7.	80 - 85	5	Clay kankar	
8.	85 - 100*	15	Medium sand & kankar	Medium
9.	100 - 110	10	Clay kankar	
10.	110 - 123*	13	Medium sand	Medium
11.	123 - 140	17	Clay kankar	

Ground Water Survey Consultancy

Agra



Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist



Ground Water Survey Consultancy

Rho a
 N16 (SN)
 N64(LN)
 LAT

Logging Details
 Log # G1199604
 Ecorec 112-913 DTR
 Ecorec
 UP CGS NGUS
 31 03 2023
 13 31
 Mohan Ganga AGZ

Logger Site
 GGS/S/01/21-22

SP (m V)
 Logger Model
 DMPL-2
 Logger Owned by

GROUND WATER
 SURVEY
 CONSULTANCY
 AGRA, UP, India

