

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL
ELECTROLOGGING REPORT**

Ref No:-A-2132

Date:- 04-11-2023

NAME OF SITE

GRAM PANCHAYAT- Kanha Nagla BLOCK- Salarpur DISTT- Badaun

NAME OF AGENCY


M/s PNC-SPML-JV
Badaun



GROUND WATER SURVEY CONSULTANCY
Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006
(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO ; 9001 : 2015

Ground Water Survey Consultancy



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- KANHA NAGLA, BLOCK- SALARPUR,
DISTT- BADAUN
UNDER
JAL JIVAN MISSION

Introduction :

A Deep bore hole was drilled 135 mtrs. depth. and Logged depth 130 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 04.Nov.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 9	4	Dry sand	
3.	9 - 30	21	Clay kankar	
4.	30 - 36	6	Medium sand	Medium
5.	36 - 40	4	Clay kankar	
6.	40 - 47	7	Sand & kankar	Medium
7.	47 - 51	4	Clay kankar	
8.	51 - 80*	29	Medium sand	Medium
9.	80 - 87	7	Clay kankar	
10.	87 - 93*	6	Medium sand	Medium
11.	93 - 108	15	Clay kankar	
12.	108 - 115*	7	Medium sand & kankar	Medium
13.	115 - 122	7	Clay kankar	
14.	122 - 130*	8	Medium sand	Medium

Ground Water Survey Consultancy

Agra


U/S JV

2023

Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist


Ground Water Survey Consultancy

No. 2
 NIS (N)
 NSQ (N)
 LAT

Logger Model: SP (m V)
 DMS: 2
 Logger Connected by:

GROUND WATER SURVEY CONSULTANCY
 AGRA, UP, India

Date: 16/05/2012
 Time: 11:30 AM

Project Name: ...
 Plot No: ...
 Block No: ...
 Village: ...
 District: ...
 State: ...

