

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL
ELECTROLOGGING REPORT

Ref No:-A-2139

Date:- 04-11-2023

NAME OF SITE

GRAM PANCHAYAT - Panoudi BLOCK - Bisauli DISTT - Badaun

NAME OF AGENCY

M/s PNC-SPML-JV
Badaun




GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.

112 A-Shree Nagar Colony, Firzabad Road, Agra-282006
(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO : 9001 : 2015

Ground Water Survey Consultancy



REPORT ON GEOPHYSICAL WELL LOGGING

AT

GRAM PANCHAYAT- PANAUDI, BLOCK- BISAUJI, DISTT- BADAUN

UNDER

JAL JIVAN MISSION

Introduction :

A Deep bore hole was drilled 130 mtrs. depth. and Logged depth 130 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging is conduct at above bore hole using IGIS Well Logger on 04.Nov.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 18	13	Dry sand	
3.	18 - 30	12	Clay kankar	
4.	30 - 46	16	Medium sand	Medium
5.	46 - 52	6	Clay kankar	
6.	52 - 55*	3	Medium sand	
7.	55 - 65	10	Clay kankar	Medium
8.	65 - 77*	12	Medium sand	
9.	77 - 85	8	Clay kankar	Medium
10.	85 - 95*	10	Medium sand	
11.	95 - 100	5	Clay kankar	Medium
12.	100 - 102	2	Fine sand	
13.	102 - 105	3	Clay kankar	Medium
14.	105 - 114*	9	Fine to Medium sand	
15.	114 - 120	6	Clay kankar	Medium
16.	120 - 128*	8	Medium sand	
17.	128 - 130	2	Clay kankar	Medium

Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist



Ground Water Survey Consultancy

