GROUND WATER SURVEY CONSULTANCY

GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL ELECTOLOGGING REPORT

Ref No:-A-2091

A Sept A

Date:- 02-11-2023

NAME OF SITE

GRAM PANCHAYAT- Kandepa

BLOCK- Jagat

DISTT- Badaun

NAME OF AGENCY

M/s PNC-SPML-JV Badaun



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006
(M): 9412260823, 9794625420, 9761163000, Email: gwsc_agra@yahoo.com

ISO; 9001: 2015

Ground Water Survey Consultancy

REPORT ON GEOPHYSICAL WELL LOGGING

GRAM PANCHAYAT- KANDEPA, BLOCK- JAGAT, DISTT- BADAUN UNDER JAL JIVAN MISSION

Introduction:

A Deep bore hole was drilled 135 mtrs. depth. and Logged depth 130 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging is conduct at above bore hole using IGIS Well Logger on 02.Nov.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 20	15	Dry sand	
3.	20 - 40	20	Clay kankar	
4.	40 - 80*	40	Medium sand	Medium
5.	80 - 94	14	Clay kankar	
6.	94 - 96*	2	Medium sand	Medium
7.	96 - 105	9	Clay kankar	
8.	105 - 113*	8	Medium sand	Medium
9.	113 - 130	17	Sandy clay	

Ground Water Survey Consultancy

Conclusions and Recommendations :-

- The Lithology broadly tallies with that of drill cutting strata chart.
- The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
- 3. The Quality of water is expected Medium.
- It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
- All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist

Ground Water Survey Consultancy

Rho a

N16 (SN)

N64(LN)

LAT

Logging Details:

Logging Or Kindens Block
Ligging Or Kindens Block
Ligging Or Kindens Block
Ligging Or Kindens Block
Ligging Or Kindens
UP LOGGINGUP
OZ New 2023
21:06 GROUND WATER SURVEY CONSULTANCY AGRA, UP, India logger SI No: IGIS/S/01/21-22 DMPL-2 Logger Owned by: Logger Model: > SP (m V) A m V Ohm m 50-50-30-70-70-100-120-220-140-200-160-180-40--08 0-70-15 20 25 30-35 8-45 5 8-55 8-65 70 Depth (m) 75 8-85 8-95 8-105 110 115 120 125 130 135-17 1 E

