

FIRST BEST SOLUTIONS

(COMPLETE GROUND WATER SERVICE PROVIDER)

Plot No. V21, Flat No. 10, Vikram Enclave Shalimar Garden, Sahibabad, Ghaziabad-201005

Email: - firstbestsolution@yahoo.com

Mob: - 8744928231

Date: 29-11-2023

Geophysical Borehole Logging Report By Sh. R. Chandra, Sr. Scientist (Retd.)

The geo-electric logging was done in the borehole at village Patparganj Block Jamunha, District Shravasti, U.P.

Name of Village : Patparganj (81°39'39.8"E, 27°47'34.9") (Zone-I)

Block – Jamunha

District: Shravasti

Date : 29-11-2023

Depth logged : 165.0 mbgl

Logger use : Robertson

Based on the Interpretation report from geophysical Log chart following granular zones have been deciphered.

S.No	Depth Range (m.bgl)		Thickness (m)	LITHOLOGY	Quality
	From	To			
1	5	14	9	Sandy clay	
2	14	34	20	fine to medium sand	Good
3	34	40	6	Clay with kankar	
4	40	50	10	fine sand	Good
5	50	63	13	Clay with kankar	
6	63	68	5	fine sand	Good
7	68	70	2	Clay with kankar	
8	70	80	10	fine sand	Good
9	80	85	5	Sandy clay	
10	85	90	5	fine sand	Good
11	90	94	4	Sandy clay	
12	94	114	20	fine sand	Good
13	114	120	6	Clay with kankar	
14	120	125	5	fine sand	Good
15	125	130	5	Clay with kankar	
16	130	140	10	fine sand	Good
17	140	143	3	Clay with kankar	
18	143	160	17	fine sand	Good
19	160	165	5	Clay with kankar	

For First Best Solution

Seen
Prince
JUNIOR ENGINEER
DIVISIONAL OFFICE (E/M)
U.P. JAL NIGAM RURAL GONDA

Seen
Raj
ASSISTANT ENGINEER
DIVISION OFFICE (E/M)
U.P. JAL NIGAM RURAL GONDA

Authorized Signatory
For First Best Solution
Niraj
Proprietor