GROUND WATER SURVEY CONSULTANCY

GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL ELECTOLOGGING REPORT

Ref No:- 1241

Date: - 21-11-2022

NAME OF SITE

Gram Panchayat- Beyor

BLOCK-Sindhauli

DISTT- Shahjahanpur

NAME OF AGENCY

M/s NCC Ltd. Shahjahanpur



GROUND, WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006
(M): 9412260823, 9794625420, 9761163000, Email: gwsc_agra@yahoo.com

ISO; 9001: 2015

Ground Water Survey Consultancy

REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- BEYOR, BLOCK- SINDHAULI DISTT- SHAHJAHANPUR UNDER JAL JIVAN MISSION

Introduction:

A Deep bore hole was drilled 120 mtrs. depth. and Logged depth 120 mtrs.

at above site. Was drilled by M/S NCC Ltd., Shahjahanpur.

On the request of M/S NCC Ltd., Shahjahanpur. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 21.Nov.2022.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

	Donth	Thickness(m)	Lithology	Expected Water Quality
S.No. 1. 2. 3. 4. 5. 6.	Depth range(m)	5	Surface soil	Water Quins
	0 - 5	5	Sandy clay	
	10 - 47	37	Clay kankar	Good
	47 - 60*	13	Medium sand Clay kankar	
	60 - 95	35	Medium sand	Good
	95 - 105* 105 - 120	15	Clay kankar	

Ground Water Survey Ponsultancy

Conclusions and Recommendations :-

- The Lithology broadly tallies with that of drill cutting strata chart.
- The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
- 3. The Quality of water is expected Good.
- 4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
 - 5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist

Ground Water Survey Consultancy

Separation (C Rho a N16 (SW, N64(LW) SP (m V) LA mV Ohm m 125 - 1250 8 8 95- 105- 110-= ä 5 8 8 3 8 ē 100 w-5 3-8-**K-**쁑. 35-8-\$-뚱: <u>ت</u>-Depth (m) 8-8-ಕ-3g-8-8-**%**-횽-ᇙ-₹-35

