

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL
ELECTROLOGGING REPORT**

Ref No:-B-2151

Date:- 23-10-2023

NAME OF SITE

GRAM PANCHAYAT- Ranet Govindpur BLOCK- Bisauli DISTT- Badaun

NAME OF AGENCY

M/s PNC-SPML-JV
Badaun



GROUND WATER SURVEY CONSULTANCY


Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.

112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006

(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO 9001 : 2015

Ground Water Survey Consultancy



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- RANET GOVINDPUR, BLOCK- BISAULI,
DISTT- BADAUN
UNDER
JAL JIVAN MISSION

Introduction :

A Deep bore hole was drilled 130 mtrs. depth. and Logged depth 130 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging is conduct at above bore hole using IGIS Well Logger on 23.Oct.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-


S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 16	11	Dry sand	
3.	16 - 32	16	Clay kankar	
4.	32 - 55	23	Medium sand	Med to Good
5.	55 - 60	5	Clay kankar	
6.	60 - 80*	20	Medium sand	Med to Good
7.	80 - 90	10	Clay kankar	
8.	90 - 96*	6	Fine to Medium sand	Med to Good
9.	96 - 101	5	Clay kankar	
10.	101 - 117*	16	Medium sand	Med to Good
11.	117 - 130	13	Clay kankar	

Ground Water Survey Consultancy



Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium to Good.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.



Ground Water Survey Consultancy

Rho ρ
 NI6 (SN)
 NS4(LN)
 LAT

Logging Details
 Logging of Hand
 Computer Block 3384
 Data Station
 UP LOGGING
 23 Oct 2023
 10:13
 Uterah Gupta (AG)

Logger S/N No.
 GRS/01/21-22

Logger Model
 SP (m V)

DMP1-2
 Logger Owned by
 GROUND WATER
 SURVEY
 CONSULTANCY
 AGRA, UP, India

