GROUND WATER SURVEY CONSULTANCY

GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL ELECTOLOGGING REPORT

Ref No:-B-1944

Date: - 06-10-2023

NAME OF SITE

GRAM PANCHAYAT- Nenol Baghwala BLOCK- Dahagawan

DISTT- Badaun

NAME OF AGENCY

M/s PNC-SPML-JV Badaun



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations. 112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006 (M): 9412260823, 9794625420, 9761163000, Email: gwsc_agra@yahoo.com

ISO; 9001: 2015

Ground Water Survey Consultancy

REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- NENOL BAGHWALA, BLOCK- DAHAGAWAN, DISTT- BADAUN UNDER JAL JIVAN MISSION

Introduction:

A Deep bore hole was drilled 140 mtrs. depth. and Logged depth 135 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging is conduct at above bore hole using IGIS Well Logger on 06.Oct.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 8	3	Clay kankar	
3.	8 - 12	4	Fine sand	
4.	12 - 18	6	Clay kankar	
5.	18 - 36	18	Medium sand	Medium
6.	36 - 50	14	Clay kankar	T.TOGIAM
7.	50 - 57*	7	Medium sand	Medium
8.	57 - 64	7	Clay kankar	- Interior
9.	64 - 70*	6	Fine to Medium sand	Medium
10.	70 - 82	12	Clay kankar	- Interest
11.	82 - 100*	18	Fine to Med sand & kan	Medium
12.	100 - 105	5	Clay kankar	1110010111
13.	105 - 115*	10	Medium sand	Medium
14.	115 - 120	5	Clay kankar	- Induiting
15.	120 - 123	3	Fine sand	Medium
16.	123 - 135	12	Clay kankar	- Indum

Ground Water Survey Consultancy Agra

Conclusions and Recommendations :-

- The Lithology broadly tallies with that of drill cutting strata chart.
- The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
- The Quality of water is expected Medium.
- It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
- All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist

Ground Water Survey Consultancy

GROUND WATER SURVEY CONSULTANCY - AGRA INDIA Logger Model: DMPL-2 Logging Details:
logging vi nanol baghwalls
block dahagwan dist
badaun
DOWN LOGGINGdown
06 Oct 1023
22:03
22:03
urkarsh gupta (vishar) Logger Owned by: IGIS/S/04/21-22 > SP (m V) Rho a
N16 (SN)
N64(LN)
LAT m V Ohm m -200--170--190--160--180-0-S-5-15 20 25 30 35 6-45 50-55 8-65-B Depth (m) 7-75-8-85 The state of 90-95 00-105 110 115 120 125 130 135 8-LZ 1 L

