GROUND WATER SURVEY CONSULTANCY

GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL ELECTOLOGGING REPORT

Ref No:- 545

Date: - 21-07-2022

NAME OF SITE

Gram Panchayat- Kakarua

BLOCK- Madnapur

DISTT- Shahjahanpur

NAME OF AGENCY

M/s NCC Ltd. Shahjahanpur



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006
(M): 9412260823, 9794625420, 9761163000, Email: gwsc_agra@yahoo.com

ISO; 9001: 2015

Ground Water Survey Consultancy

Agra

REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- KAKARUA, BLOCK- MADNAPUR DISTT- SHAHJAHANPUR UNDER JAL JIVAN MISSION

Introduction:

A Deep bore hole was drilled 132 mtrs. depth. and Logged depth 130 mtrs. at above site. Was drilled by M/S NCC Ltd., Shahjahanpur.

On the request of M/S NCC Ltd., Shahjahanpur. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 21.July.2022.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major equifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

C.M.	Defth range(m)	Thickness(m)	Lithology	Expected
S.No.	Deful range(iii)	11110101000		Water Quality
	0 - 5	5	Surface soil	
1.	5 - 20	15	Clay kankar	
2.	20 - 29	9	Fine sand	Good
3.	29 - 35	6	Clay kankar	
4.	35 - 45	10	Medium sand	Good
5.	45 - 49	4	Clay kankar	
6.	49 - 77*	28	Medium sand	Good
7.	77 - 80	3	Clay kankar	
9.	80 - 85*	5	Fine to Medium sand	Good
10.	85 - 98	13	Clay kankar	
11.	98 - 103	5	Fine sand	Good
12.	103 - 123	20	Clay kankar	
13.	123 - 127	4	Kankar	
14.	127 - 130	3	Fine to Medium sand	Good

Ground Water Survey Consultancy

Agra Sel O You sel

Conclusions and Recommendations :-

- The Lithology broadly tallies with that of drill cutting starta chart.
- 2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
- 3. The Quality of water is expected Good.
- 4. Expected discharge is 600 to 700 L.P.M.
- It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
- 6. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophysicist

Ground Water Survey Consultancy

I LOGO TO Y GRACULE BOCK I Machanico Chi Sharparaccy UPI COGONGLO 21 Jul 2012 19-44 UPI Gratin Guera (SY) 0 Rho a N16 (SN; N64(LN) Cym) ds Ohm m A m V 100-1 140-120--03 36°-25-20-20-49-8 -15-1 10-5-0--5შ-Ծ-8-25-30-ጜ-8-\$-5ჯ-ප-65 70 Depth (m) 걺-8-8-용-않-ਫ਼-ਫ਼-큥 3 720 125 쯍-당-[7

