

GROUND WATER SURVEY CONSULTANCY  
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL  
ELECTOLOGGING REPORT

Ref No:-A-2291

Date:- 02-12-2023

NAME OF SITE

GRAM PANCHAYAT- Khajuria Shreeram BLOCK- Islamnagar DISTT- Badaun

NAME OF AGENCY

M/s PNC-SPML-JV  
Badaun



GROUND WATER SURVEY CONSULTANCY


Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.

112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006

(M) : 9412260823, 9794625420, 9761163000, Email : gwsc\_agra@yahoo.com

**ISO ; 9001 : 2015**

Ground Water Survey Consultancy  
Agra





# REPORT ON GEOPHYSICAL WELL LOGGING AT

## GRAM PANCHAYAT- KHAJURIA SHREERAM, BLOCK- ISLAMNAGAR, DISTT- BADAUN UNDER JAL JIVAN MISSION


### Introduction :

A Deep bore hole was drilled 140 mtrs. depth. and Logged depth 140 mtrs. at above site. Was drilled by M/S PNC-SPML-JV, Badaun.

On the request of M/S PNC-SPML-JV, Badaun. a Geophysical well Logging is conduct. at above bore hole using IGIS Well Logger on 02.Dec 2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 10	5	Clay kankar	
3.	10 - 15	5	Dry sand	
4.	15 - 48	33	Clay kankar	
5.	48 - 54*	6	Medium sand	Medium
6.	54 - 57	3	Clay kankar	
7.	57 - 62*	5	Medium sand	Medium
8.	62 - 65	3	Clay kankar	
9.	65 - 78*	13	Medium sand	Medium
10.	78 - 87	9	Clay kankar	
11.	87 - 94*	7	Medium sand	Medium
12.	94 - 100	6	Clay kankar	
13.	100 - 120*	20	Medium sand	Medium
14.	120 - 140	20	Clay kankar	





**Conclusions and Recommendations :-**

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (\*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geologist





