

REPORT ON GEO-PHYSICAL ELECTRICAL  
LOGGING OF BOREHOLE

at  
Village: Shahpur Chaudhary  
Garh Mukteswar, Hapur, Uttar Pradesh

For  
State Water Sanitation Mission (Jal Jeevan Mission)  
UP Jal Nigam(Rural), Hapur, U.P

*Submitted Through*  
M/s. L.C.Infra Projects Private Limited



**GLOBAL GROUND WATER CONSULTANTS**  
(Consulting Geologists & Geophysicists)  
84- III Floor, Humayun pur, Safdarjung Enclave, New Delhi - 110 029  
Phone: **9818-888824; 9818-007038.**

Date : 23<sup>rd</sup> January, 2023

## REPORT ON GEO-PHYSICAL RESISTIVITY LOGGING OF BOREHOLE

At  
**Village: Shahpur Chaudhary**  
 Garh Mukteswar, Hapur, Uttar Pradesh

**Introduction:**

A deep borehole 142m (465 Feet) was drilled by working agency *M/s. L.C.Infra Projects Private Limited, Ghaziabad, U.P.*, as a part of their scope of work of development of tubewell under Jal Jeevan Mission Project of SWSM, GGWC conducted a Geophysical Resistivity logging in the above borehole using IGIS's Logger dated on 23<sup>rd</sup> January, 2023

Based on the interpretation of the Logging, the following litho logy has been inferred which tallies fairly well with the well-site litho-log based on mud-wash samples.

<i>Depth in m</i>	<i>Expected Litholog</i>	<i>Expected Quality</i>
0 - 3	Surface Soil	
3 - 7	Sandy clay	
7 - 27*	Medium sand	Good
27 - 33	Sandy clay	
33 - 52*	Medium sand	Good
52 - 55	Sandy clay	
55 - 66*	Medium sand	Good
66 - 70	Sandy clay	
70 - 83*	Medium sand	Good
83 - 93	Clay	
93 - 142*	Medium sand	Good

*Conclusions and Recommendations:*

1. The litholog inferred broadly tallies with that of the well-site litholog.
2. The zones marked with asterisk (\*) appear to be Aquifer Zones for possible development of tubewell.
3. As per thickness of the Aquifer the expected discharge is 80,000 LPH to 90,000 LPH.
4. Water Level is 5 m below ground level.
5. The Quality of water is Good. However, it is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
6. The shallow aquifers are also recommended for development to get good quantity of water.
7. *All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.*

*for Global Groundwater Consultants*



*(M. RAVI KANTH)*

*M. Ravikanth  
Hydrogeologist*

### SP and Resistivity Curves






Photo of the Site at the time of Logging