

Basi
Khepara
Bajhpur, U.P

ms L.C. Inbra

Mr Hari Prasad.

Location:

Date: 16/9/2022

GGWC

Depth in m	SP	SN in Ohms		in Feet	Depth in m	SP	SN in ohm		in Feet
0				0.0	41	69	1.4		134.5
1				3.3	42	76	1.5		137.8
2				6.6	43	74	1.6		141.0
3	74	1.2		9.8	44	72	1.7		144.3
4	72	1.3		13.1	45	71	1.9		147.6
5	98	1.5		16.4	46	69	2.0		150.9
6	96	1.5		19.7	47	66	2.1		154.2
7	94	1.4		23.0	48	64	2.1		157.4
8	92	1.3		26.2	49	68	1.7		160.7
9	91	2.2		29.5	50	64	1.9		164.0
10	84	5.1		32.8	51	66	1.9		167.3
11	88	5.8		36.1	52	62	2.0		170.6
12	89	6.2		39.4	53	61	1.7		173.8
13	91	8.6		42.6	54	66	1.7		177.1
14	92	11.0		45.9	55	69	2.4	Sand	180.4
15	76	12.9		49.2	56	68	2.0	kur	183.7
16	74	14.2		52.5	57	67	1.9		187.0
17	72	14.6		55.8	58	64	2.1		190.2
18	71	14.4		59.0	59	66	2.2		193.5
19	76	12.9		62.3	60	62	2.4		196.8
20	78	11.4		65.6	61	61	2.5		200.1
21	84	10.8		68.9	62	60	2.5		203.4
22	89	10.3		72.2	63	72	2.2		206.6
23	91	9.2		75.4	64	71	2.6		209.9
24	92	7.4		78.7	65	76	2.6		213.2
25	94	6.7		82.0	66	74	2.2		216.5
26	92	4.9		85.3	67	78	2.0		219.8
27	87	3.0		88.6	68	79	1.8		223.0
28	86	2.3		91.8	69	76	1.4		226.3
29	86	2.1		95.1	70	41	1.0		229.6
30	87	2.2		98.4	71	49	1.0		232.9
31	84	2.2		101.7	72	56	0.9		236.2
32	85	2.4	FS	105.0	73	54	1.0		239.4
33	89	2.2		108.2	74	52	1.0		242.7
34	91	2.0		111.5	75	51	0.9		246.0
35	94	2.0		114.8	76	50	1.1		249.3
36	96	1.9		118.1	77	49	1.3		252.6
37	95	1.3		121.4	78	46	1.4		255.8
38	86	1.7		124.6	79	48	1.5	FS	259.1
39	83	1.7		127.9	80	49	1.4		262.4
40	82	1.4		131.2	81	46	1.5		265.7

→

Depth in m	SP	SN		in Feet	Depth in m	SP	SN		in Feet
82	48	1.3		269.0	123	92	0.3		403.44
83	52	0.9		272.2	124	91	0.3		406.72
84	51	0.9		275.5	125	90	0.5		410
85	54	1.0		278.8	126	89	0.8		413.28
86	56	0.7		282.1	127	91	1.2		416.56
87	59	0.4		285.4	128	90	0.6		419.84
88	62	0.4		288.6	129	89	0.4		423.12
89	61	0.4		291.9	130	87	0.3		426.4
90	66	0.2		295.2	131	85	0.2		429.68
91	86	0.3		298.5	132				432.96
92	85	0.2		301.8	133				436.24
93	84	0.3		305.0	134				439.52
94	89	0.3		308.3	135				442.8
95	91	0.3		311.6	136				446.08
96	92	0.2		314.9	137				449.36
97	90	0.3		318.2	138				452.64
98	86	0.3		321.4	139				455.92
99	85	0.4		324.7	140				459.2
100	89	0.8		328.0	141				462.48
101	91	0.9		331.3	142				465.76
102	92	1.1		334.6	143				469.04
103	94	1.1		337.8	144				472.32
104	93	1.6		341.1	145				475.6
105	96	1.7		344.4	146				478.88
106	94	1.4		347.7	147				482.16
107	92	0.6		351.0	148				485.44
108	91	0.4		354.2	149				488.72
109	93	0.5		357.5	150				492
110	91	0.5		360.8	151				495.28
111	94	0.3		364.1	152				498.56
112	92	0.4		367.4	153				501.84
113	93	0.4		370.6	154				505.12
114	91	0.4		373.9	155				508.4
115	89	0.3		377.2	156				511.68
116	86	0.4		380.5	157				514.96
117	84	0.4		383.8	158				518.24
118	83	0.5		387.0	159				521.52
119	82	0.4		390.3	160				524.8
120	81	0.4		393.6	161				528.08
121	80	0.3		396.9	162				531.36
122	91	0.6		400.2	163				534.64