

GROUND WATER INVESTIGATION CENTRE

(Ground Water Assessment & Allied Services)

9/43, Sector-9, Jankipuram Extension, Lucknow - 226031

Mob: 9450659011, 8840756551, 9450364183 Email : <u>si.amaresh11@gmail.com</u>, <u>gicaksingh@gmail.com</u>

GSITN: 09ANAPS3037Q1ZG

Ref: GIC/JJM/ Balrampur/381

Date : 04.11.23

GEOPHYSICAL BOREHOLE ELECTRICAL LOGGING REPORT

Site's Location	: Village – Newazpur, Block – Tulsipur Distt - Balrampur	
Drilling Depth	: 275 mbgl as Reported by Driller	
Logged Depth	: 255 mbgl	
Date of Logging	: 04.11.23	
Types of Log	: S.P. & Resistivity (Normal & Lateral)	
Logger Used	: Uptron	

Details of major aquifer formations explored from interpretation of Geophysical Logs are given below.

Sl.	Depth	Thickness	Types of strara	$R_{mf \&} R_w$
No.	Range (m,	(m)		
	bgl)			
1	30 - 38	8	Good, Fine to medium sand	$R_{mf = 22 \ \Omega m}$
2	50 - 57	7	Good, Fine to medium sand	$R_{w = 24 \Omega m}$
3	70 - 81	11	Good, Fine to medium sand	
4	93 - 100	7	Good, Fine to medium sand	
5	105 - 111	6	Good, Fine to medium sand	
6	114 - 122	8	Good, Fine to medium sand	
7	130 - 140	10	Good, Fine to medium sand	
8	150 - 160	10	Good, Fine to medium sand	
9	187 – 197	10	Good, Fine to medium sand	
10	214 - 230	16	Good, Fine to medium sand	
11	240 - 245	5	Good, Fine to medium sand	

Remark : Almost all zones are intermixed with fine bands of kankar. CC: Executive Engineer (E/M) U P Jal Nigam (Gramin), Gonda

