



SUNRISE WATER SOURCES

TUBEWELL ENGINEERS & CONSULTANTS

SERVICES :

Digital Electronic Well Logger upto 600 m

Resistivity Survey upto 1000 m

Survey for Rain Harvesting Wells

Near Canal Bridge, Ropar, (Punjab)

| gurbhej1628@gmail.com

| +91 90416 59909, 89689 21316

BOREHOLE DRILLED AT SITE VILL. KANSHIPUR, BLOCK NANAUTA, DISTT. SAHARANPUR (UP)

Drilled Depth :- 168 m

Logg Depth :- 163.50 m

Water Level :- 5 m (Approx.)

Date :- 20/06/2022

OBSERVED

The following granular zones have been observed beyond the static ground water level with the help of Advanced Electronic Geophysical Logger

Depth Range In Mtrs. (B.G.L.)		Length (Mtrs.)	Nature Of Samples
0.00	5.00	5.00	Surface Clay with top Soil
5.00	15.00	10.00	Fine Medium Sand
15.00	17.00	2.00	Clay
17.00	32.00	15.00	Fine Medium Sand
32.00	38.00	6.00	Clay
38.00	59.00	21.00	Medium Sand
59.00	61.00	2.00	Clay
61.00	77.00	16.00	Medium Sand
77.00	80.00	3.00	Clay
80.00	87.50	7.50	Medium Sand
87.50	93.50	6.00	Clay
93.50	96.00	2.50	Medium Sand + Pebble Stones
96.00	101.50	5.50	Clay
101.50	110.00	8.50	Medium Coarse Sand
110.00	114.00	4.00	Clay
114.00	123.00	9.00	Medium Coarse Sand
123.00	124.50	1.50	Fine Sand
124.50	133.00	8.50	Medium Coarse Sand
133.00	163.50	30.50	Clay

For Sunrise Water Sources

G. Singh
Auth. Sign.