



Contract: m/s. Welspan



GLOBAL GROUND WATER CONSULTANTS

84-III Floor, Humayunpur, Safdarjung Enclave, New Delhi - 110 029
Mobile : 9818 888 824, 9818 007 038
E-mail : srikanthchukka.c23@gamil.com, ravikanth44@yahoo.com

Mr. Kishan Chopra
Mr. Kesavaiah

GEOPHYSICAL ELECTRICAL LOGGING REPORT AT

Tubewell No. :

Date : 10/2/2023

Village : CHATHERA

Block : UNCHACAPON

District : BULAND SHAHR, U.P

Depth in Metres	Expected Litholog	Expected Water Quality
0 - 3m	Surface Soil	
3 - 15	Medium Sand	
15 - 18 [⊗]	Medium Sand	Good
18 - 24	clay	
24 - 74 [⊗]	Medium Sand	Good
74 - 78	Sandy clay	
78 - 85 [⊗]	Medium Sand	Good
85 - 88 [⊗]	Fine sand	Good
88 - 119 [⊗]	Medium Sand	Good
119 - 127 [⊗]	Fine sand	Good
127 - 134	Sandy clay	
134 - 151	clay kanka	

For Global Groundwater Consultants

(Signature)
M. RAVI KANTH
10/2/2023

⊗ EXPECTED WATER ZONE
▼ WATER LEVEL : 15 METRES

Consulting Geologists, Geophysists & Ground Water Specialists

Scanned by CamScanner



CHATHARA

Onchagan

Bolandschr.

Location:

Date: 10/2/2023

GGWC

m/s. wellspan

Kishan Chopal

203022.

Depth in m	SP	SN in Ohms		in Feet	Depth in m	SP	SN in ohm		in Feet
0				0.0	41	624	5.7		134.5
1				3.3	42	619	6.2		137.8
2				6.6	43	625	6.4		141.0
3	244	6.1		9.8	44	628	6.2		144.3
4	246	11.4		13.1	45	624	6.3		147.6
5	211	17.0		16.4	46	612	6.0		150.9
6	238	21.0		19.7	47	614	6.3		154.2
7	344	17.0		23.0	48	616	6.4		157.4
8	407	13.9		26.2	49	606	6.5		160.7
9	449	20.1		29.5	50	602	6.4		164.0
10	459	25.4		32.8	51	608	6.2		167.3
11	502	17.8		36.1	52	607	6.3		170.6
12	517	9.2		39.4	53	601	6.3		173.8
13	522	6.4		42.6	54	598	6.2		177.1
14	567	5.4		45.9	55	600	6.2		180.4
15	582	5.1	ms	49.2	56	601	6.6		183.7
16	592	5.2		52.5	57	593	6.9		187.0
17	609	5.2		55.8	58	590	6.7		190.2
18	621	5.2		59.0	59	591	6.5		193.5
19	624	4.9		62.3	60	597	6.2		196.8
20	640	3.3	cly	65.6	61	587	6.5		200.1
21	657	2.6		68.9	62	579	7.1		203.4
22	662	2.8		72.2	63	587	7.0		206.6
23	662	4.1		75.4	64	582	6.7		209.9
24	661	5.1		78.7	65	580	6.2		213.2
25	664	5.2		82.0	66	577	6.3		216.5
26	713	6.2		85.3	67	577	6.4		219.8
27	645	5.9		88.6	68	574	6.5		223.0
28	660	5.9		91.8	69	572	6.8		226.3
29	646	5.8		95.1	70	574	7.1		229.6
30	640	5.7	ms	98.4	71	561	6.3		232.9
31	635	5.7		101.7	72	566	6.3		236.2
32	630	5.5		105.0	73	566	6.1		239.4
33	677	5.9		108.2	74	662	5.4		242.7
34	626	5.5		111.5	75	571	3.6		246.0
35	620	5.8		114.8	76	562	3.8		249.3
36	621	5.8		118.1	77	565	4.4		252.6
37	634	5.8		121.4	78	564	5.0		255.8
38	677	5.6		124.6	79	578	5.2		259.1
39	625	5.1		127.9	80	576	5.4		262.4
40	677	5.5		131.2	81	609	5.5		265.7

Bheem



GGWC

Depth in m	SP	SN		in Feet	Depth in m	SP	SN		in Feet
82	578	6.1		269.0	123	431	4.3		403.44
83	569	5.3		272.2	124	441	4.3		406.72
84	572	5.3		275.5	125	422	4.3		410
85	557	5.1		278.8	126	421	4.3		413.28
86	533	4.0		282.1	127	416	4.2		416.56
87	538	4.2		285.4	128	437	4.1		419.84
88	555	5.1		288.6	129	437	3.8		423.12
89	568	5.3		291.9	130	52	4.4		426.4
90	546	5.3		295.2	131	512	4.1		429.68
91	562	5.6		298.5	132	412	3.4		432.96
92	577	6.2		301.8	133	416	2.0		436.24
93	526	5.3		305.0	134	412	2.1		439.52
94	537	5.5		308.3	135	418	1.5		442.8
95	536	5.4		311.6	136	412	1.4		446.08
96	534	4.9		314.9	137	416	1.4		449.36
97	532	5.2		318.2	138	418	1.5		452.64
98	531	5.2		321.4	139	419	1.6		455.92
99	526	5.2		324.7	140	412	1.5		459.2
100	541	5.6		328.0	141	436	1.4		462.48
101	529	5.3		331.3	142	434	1.5		465.76
102	532	5.2		334.6	143	435	1.4		469.04
103	529	5.1		337.8	144	436	1.5		472.32
104	531	5.1		341.1	145	436	1.4		475.6
105	525	5.1		344.4	146	434	1.3		478.88
106	522	5.0		347.7	147	431	1.2		482.16
107	521	4.8		351.0	148	431	1.6		485.44
108	520	4.8		354.2	149	436	1.4		488.72
109	518	4.8		357.5	150	434	1.3		492
110	520	5.2		360.8	151	437	1.2		495.28
111	516	5.4		364.1	152				498.56
112	514	5.3		367.4	153				501.84
113	509	5.8		370.6	154				505.12
114	511	5.8		373.9	155				508.4
115	506	5.6		377.2	156				511.68
116	493	5.6		380.5	157				514.96
117	491	6.2		383.8	158				518.24
118	496	5.6		387.0	159				521.52
119	494	5.0		390.3	160				524.8
120	439	4.5		393.6	161				528.08
121	442	4.3		396.9	162				531.36
122	432	4.3		400.2	163				534.64