

GSTIN.: 09BDGPB5432F1ZV

Shri Medini

E-11, South City, Raebareli Road,

Lucknow-226025

E-mail.: shri.medini@gmail.com Mob.: 9554412795, 8887691798

Ref. No.: **09-02**(i)/JJM/Logging/2022-23

Dated: 10-02-2023

GEOPHYSICAL WELL LOGGING REPORT

Village : Kasara

Block : Sangrampur

District : Amethi

Date of Logging : Feb. 09, 2023

Logged Depth : 157 mbgl.

Borehole Drilled By : Vindhya Telelinks – Gaja Engineering PVT. Ltd. (J.V.)

Drilled Depth : 165 meters (as reported)

Based on interpretation of geophysical logs (Self Potential S.P., Short Normal N16", Long Normal N64" and Lateral 6') following granular zones have been deciphered –

S. no.	Depth Range (in meter below ground level)		Thickness (in meter)	Remark (Quality of formation water)
	From	То	25.0	•
X	27	33	06	Good
2	35	38	03	Good
3	43	47	04	Good to Moderate
4	49	53	03	Moderate to Marginal

Note :-

Above mentioned E.Logs/parameters revels:-

- i. Above mentioned groups contains fine sediments.
- ii. Zone at s.nos. 1 & 3 mixed with kanker.
- iii. Zone at s.no. 4 highly mixed with kanker.
- iv. Borehole contains granular zones other than mentioned above are either very finer sediments or dominated with clay.

y. Below 84 mts. till logged depth i.e. 157 mbgl. borehole contain deteriorated/saline quality of formation water.

South City Lucknow

For Shri Medini

(R.K.BAJPAI)

Hydrologist & Ground Water Consultant,

Retired from Irrigation Department (Mechanical),

Uttar Pradesh, LUCKNOW.