

Kishanpur
 mosna
 muzaffar Nahr

MK N.K.G

Location:

Date: 24/12/2022

GGWC, Rajat.

Depth in m	SP	SN in Ohms		in Feet	Depth in m	SP	SN in ohm		in Feet
0				0.0	41	32	7.2		134.5
1				3.3	42	37	7.4		137.8
2				6.6	43	48	8.3		141.0
3	28	3.6		9.8	44	56	8.3		144.3
4	28	4.6		13.1	45	99	8.8		147.6
5	50	5.1	cy	16.4	46	96	9.1		150.9
6	37	9.2		19.7	47	97	9.4		154.2
7	29	8.8		23.0	48	94	9.1		157.4
8	18	8.3		26.2	49	92	9.1		160.7
9	20	7.3		29.5	50	96	9.0		164.0
10	22	7.3		32.8	51	94	9.1		167.3
11	24	6.7		36.1	52	92	9.2		170.6
12	26	6.9		39.4	53	91	9.5		173.8
13	28	6.5		42.6	54	96	9.4		177.1
14	29	6.8		45.9	55	95	8.9		180.4
15	31	7.1		49.2	56	92	9.1		183.7
16	34	7.0		52.5	57	91	9.2		187.0
17	32	7.0		55.8	58	94	8.8		190.2
18	61	7.0		59.0	59	92	8.9		193.5
19	64	6.7		62.3	60	91	8.9		196.8
20	62	7.0		65.6	61	70	7.6		200.1
21	67	7.2		68.9	62	67	5.6	cy	203.4
22	70	7.2		72.2	63	66	6.0		206.6
23	86	7.1		75.4	64	64	7.8		209.9
24	91	6.9		78.7	65	63	8.8		213.2
25	81	7.0		82.0	66	62	9.1		216.5
26	87	6.8		85.3	67	61	9.4		219.8
27	68	7.4	MS	88.6	68	66	9.5		223.0
28	66	7.6		91.8	69	69	9.5		226.3
29	59	7.6		95.1	70	71	9.4		229.6
30	73	7.4		98.4	71	76	9.5		232.9
31	65	7.7		101.7	72	78	9.6		236.2
32	65	7.6		105.0	73	79	9.3		239.4
33	62	8.0		108.2	74	84	9.1		242.7
34	64	8.0		111.5	75	89	8.9		246.0
35	64	7.5		114.8	76	86	9.0		249.3
36	63	7.2		118.1	77	51	8.7		252.6
37	36	5.3		121.4	78	56	8.7		255.8
38	11	4.3	cy	124.6	79	54	8.6		259.1
39	30	4.7		127.9	80	52	8.8		262.4
40	33	6.6	cy	131.2	81	43	9.1		265.7

Depth in m	SP	SN		in Feet	Depth in m	SP	SN		in Feet
82	46	8.9		269.0	123	76	9.0		403.44
83	42	8.7		272.2	124	72	8.8		406.72
84	41	8.6		275.5	125	71	8.2		410
85	46	8.7		278.8	126	51	8.4		413.28
86	44	8.6		282.1	127	58	8.7		416.56
87	42	8.9		285.4	128	59	9.0		419.84
88	41	9.1		288.6	129	60	9.0		423.12
89	46	9.4		291.9	130	61	9.1		426.4
90	49	9.2		295.2	131	62	9.2		429.68
91	64	9.1		298.5	132	66	9.4		432.96
92	66	9.1		301.8	133	69	9.6		436.24
93	62	8.9		305.0	134	67	10.1		439.52
94	60	9.9		308.3	135	68	10.4		442.8
95	66	10.1		311.6	136	31	10.9		446.08
96	64	10.4		314.9	137	34	10.9		449.36
97	62	10.1		318.2	138	36	10.9		452.64
98	61	9.9		321.4	139	38	10.9		455.92
99	62	10.1		324.7	140	36	11.1		459.2
100	66	9.8		328.0	141	34	11.3		462.48
101	74	9.7		331.3	142	32	11.3		465.76
102	72	9.0		334.6	143	31	11.8		469.04
103	71	8.6		337.8	144	32	12.4		472.32
104	76	8.4		341.1	145	31	12.2		475.6
105	72	8.2		344.4	146				478.88
106	79	8.4		347.7	147				482.16
107	64	8.1		351.0	148				485.44
108	66	8.3		354.2	149				488.72
109	62	8.5		357.5	150				492
110	63	8.1		360.8	151				495.28
111	61	7.1		364.1	152				498.56
112	66	8.1		367.4	153				501.84
113	64	8.4		370.6	154				505.12
114	62	8.4		373.9	155				508.4
115	61	7.9		377.2	156				511.68
116	66	7.4		380.5	157				514.96
117	67	5.4		383.8	158				518.24
118	68	6.1	CS	387.0	159				521.52
119	69	8.2		390.3	160				524.8
120	71	9.3		393.6	161				528.08
121	74	9.3		396.9	162				531.36
122	75	9.2		400.2	163				534.64