



UP TESTING LABORATORY PVT.LTD.

ISO 9001:2015 & NABL Accredited Laboratory

LGF, Aero Business Tower, Chander Nagar, Surya Nagar,
Ghaziabad, Uttar Pradesh -201011

Phone No.: 0120-4295002, 9311834218, 9311834216


E-mail: uptreception@gmail.com, uptlmd@gmail.com

(FIELD BORE LOG CHART)

Block:	बागापत	Village:-	जहानगढ उर्फ दौसा						
District:	बागापत								
B.H. No. ४५)	Water Table (Meter): nel								
Depth of Bore Hole (Meter): 15.00	Date: 12/12/22								
Co-ordinates:	N:- 29.043427		E:- 77.317716						
Sl. No.	Depth in Meters from to	Type of Sample.	Sample No.	Visual Field Observations	S.P.T. VALUE				Remarks
					N1	N2	N3	N (N2+N3)	
1	0.00-0.50	DS		Silty clay					
2	1.50-1.85	UD		-do					
3	1.85-2.30	SPT		Silty sand	3	2	2	4	
4	3.00-3.35	UD		-do gravel					
5	3.35-3.80	SPT		-do	3	4	5	9	
6	4.50-4.85	UD		Silty sand clay					
7	4.85-5.30	SPT		-do	4	5	6	11	
8	6.00-6.35	UD		-do					
9	6.35-6.80	SPT		-do	5	6	7	13	
10	7.50-7.85	UD		Silty sand					
11	7.85-8.30	SPT		-do clay	5	7	9	16	
12	9.00-9.35	UD		-do					
13	9.35-9.80	SPT		-do	6	8	11	18	
14	10.50-10.85	UD		Silty sand					
15	10.85-11.30	SPT		-do	7	9	12	21	
16	12.00-12.35	UD		Silty sand					
17	12.35-12.80	SPT		-do	9	11	14	25	
18	13.50-13.85	UD		-do					
19	13.85-14.30	SPT		-do	11	14	17	31	
20	15.00-15.35	UD		Silty sand					
21	15.35-15.80	SPT		-do	14	17	18	35	
22	16.50-16.85	UD							
23	16.85-17.30	SPT							
24	18.00-18.35	UD							
25	18.35-18.80	SPT							
26	19.50-19.85	UD							
27	19.85-20.00	SPT							

CHECKED BY

Am


SITE IN-CHARGE
MOBILE NO: - 8756585191



UP TESTING LABORATORY PVT.LTD.

ISO 9001:2015 & NABL Accredited Laboratory
LGF, Aero Business Tower, Chander Nagar, Surya Nagar,
Ghaziabad, Uttar Pradesh -201011
Phone No.: 0120-4295002, 9311834218, 9311834216
E-mail: uptlreception@gmail.com, uptlmd@gmail.com

(FIELD BORE LOG CHART)

Block:	बाजपुर	Village:-	जहानगढ उर्फ दोहा						
District:	बाजपुर								
B.H. No. 2		Water Table (Meter):	mel						
Depth of Bore Hole (Meter):	15.00	Date:	12/12/22						
Co-ordinates:	N:-29.043384	E:-77.312772							
Sl. No.	Depth in Meters from to	Type of Sample	Sample No.	Visual Field Observations	S.P.T. VALUE				Remarks
					N1	N2	N3	N (N2+N3)	
1	0.00-0.50	DS		Silty clay					
2	1.50-1.85	UD		Silty sand/gravel					
3	1.85-2.30	SPT		-do-	3	3	4	7	
4	3.00-3.35	UD		Silty sand					
5	3.35-3.80	SPT		-do-	3	4	6	10	
6	4.50-4.85	UD		-do-					
7	4.85-5.30	SPT		Silty sand	4	5	7	12	
8	6.00-6.35	UD		-do-					
9	6.35-6.80	SPT		-do-	5	6	8	14	
10	7.50-7.85	UD		-do- Choccy					
11	7.85-8.30	SPT		-do-	7	7	9	16	
12	9.00-9.35	UD		Silty sand					
13	9.35-9.80	SPT		-do-	9	10	11	21	
14	10.50-10.85	UD		-do-					
15	10.85-11.30	SPT		-do-	11	13	14	27	
16	12.00-12.35	UD		Silty sand					
17	12.35-12.80	SPT		-do-	13	16	18	34	
18	13.50-13.85	UD		-do-					
19	13.85-14.30	SPT		-do-	14	17	21	38	
20	15.00-15.35	UD		Silty sand					
21	15.35-15.80	SPT		-do-	16	18	23	41	
22	16.50-16.85	UD							
23	16.85-17.30	SPT							
24	18.00-18.35	UD							
25	18.35-18.80	SPT							
26	19.50-19.85	UD							
27	19.85-20.00	SPT							

CHECKED BY:

Ami Khan

SITE IN-CHARGE

MOBILE NO: -8756885141



UP TESTING LABORATORY PVT.LTD.

ISO 9001:2015 & NABL Accredited Laboratory

LGF, Aero Business Tower, Chander Nagar, Surya Nagar,
Ghaziabad, Uttar Pradesh -201011

Phone No.: 0120-4295002, 9311834218, 9311834216

E-mail: uptreception@gmail.com, uptlmd@gmail.com

(FIELD BORE LOG CHART)

Block:	बागपत	Village:-	बहनगढ उर्फ दोसा						
District:	बागपत								
B.H. No. 3		Water Table (Meter):	nil						
Depth of Bore Hole (Meter): 15.00		Date:	12/12/022						
Co-ordinates:	N:-99.043429	E:-	77:312746						
Sl. No.	Depth in Meters from to	Type of Sample	Sample No.	Visual Field Observations	S.P.T. VALUE				Remarks
					N1	N2	N3	N (N2+N3)	
1	0.00-0.50	DS		Silty clay					
2	1.50-1.85	UD		Silty sand					
3	1.85-2.30	SPT		gravel	3	4	4	8	
4	3.00-3.35	UD		-do-					
5	3.35-3.80	SPT		Silty sand	3	5	6	11	
6	4.50-4.85	UD		-do gravel					
7	4.85-5.30	SPT		-do-	4	5	8	13	
8	6.00-6.35	UD		Silty sand					
9	6.35-6.80	SPT		-do-	5	7	10	17	
10	7.50-7.85	UD		-do-					
11	7.85-8.30	SPT		-do-	7	8	11	19	
12	9.00-9.35	UD		Silty sand					
13	9.35-9.80	SPT		-do-	9	11	12	23	
14	10.50-10.85	UD		-do-					
15	10.85-11.30	SPT		-do cherty	11	13	15	28	
16	12.00-12.35	UD		Silty sand					
17	12.35-12.80	SPT		-do-	13	15	16	31	
18	13.50-13.85	UD		-do-					
19	13.85-14.30	SPT		-do-	15	17	19	36	
20	15.00-15.35	UD		-do-					
21	15.35-15.80	SPT		Silty sand	16	18	24	42	
22	16.50-16.85	UD							
23	16.85-17.30	SPT							
24	18.00-18.35	UD							
25	18.35-18.80	SPT							
26	19.50-19.85	UD							
27	19.85-20.00	SPT							

CHECKED BY

Amir Khan

S
SITE IN-CHARGE
MOBILE NO: - 9756505141