



Saugna Rani
 Unchagaon,
 Dohand Sahu.

mls.wells@pun

Kishan Gopal
 KUSUWA

Location:

Date: 20/Feb/2022

GGWC

Depth in m	SP	SN in Ohms		in Feet	Depth in m	SP	SN in ohm		in Feet
0				0.0	41	52	4.2		134.5
1				3.3	42	56	4.9		137.8
2				6.6	43	59	4.9	scj	141.0
3	25	13.6		9.8	44	56	4.2		144.3
4	24	16.9		13.1	45	52	5.2		147.6
5	26	19.1		16.4	46	51	6.0		150.9
6	29	19.6		19.7	47	56	6.6		154.2
7	49	17.1		23.0	48	75	7.2		157.4
8	48	16.6		26.2	49	72	7.5		160.7
9	46	15.2		29.5	50	67	7.2		164.0
10	48	18.2		32.8	51	81	7.6		167.3
11	49	16.0		36.1	52	62	7.8		170.6
12	46	10.7		39.4	53	56	7.5		173.8
13	22	8.9		42.6	54	44	7.6		177.1
14	49	8.0		45.9	55	70	6.2		180.4
15	46	8.0		49.2	56	78	4.8		183.7
16	44	7.8		52.5	57	69	6.8		187.0
17	52	7.4		55.8	58	61	8.0		190.2
18	59	7.2	ms	59.0	59	58	8.5		193.5
19	64	7.0		62.3	60	51	8.5		196.8
20	62	7.0		65.6	61	72	8.2		200.1
21	61	7.0		68.9	62	72	8.4		203.4
22	62	6.6		72.2	63	52	8.5		206.6
23	61	4.2		75.4	64	41	8.1		209.9
24	49	4.2	cg	78.7	65	28	8.2		213.2
25	44	4.2		82.0	66	33	8.2		216.5
26	42	5.9		85.3	67	41	8.2		219.8
27	41	7.1		88.6	68	36	8.4	ms	223.0
28	46	7.2		91.8	69	30	8.5		226.3
29	48	7.2		95.1	70	18	8.5		229.6
30	46	7.5		98.4	71	16	8.2		232.9
31	44	7.2		101.7	72	24	8.5		236.2
32	49	7.2	ms	105.0	73	25	8.4		239.4
33	54	7.2		108.2	74	26	8.2		242.7
34	56	7.2		111.5	75	26	8.2		246.0
35	52	7.5		114.8	76	28	8.4		249.3
36	59	7.4		118.1	77	29	8.0		252.6
37	56	7.5		121.4	78	62	8.0		255.8
38	56	7.5		124.6	79	68	8.1		259.1
39	52	7.1		127.9	80	65	8.0		262.4
40	50	6.4		131.2	81	61	8.2		265.7



GGWC

Depth in m	SP	SN		in Feet	Depth in m	SP	SN		in Feet
82	53	8.2		269.0	123	91	3.6		403.44
83	69	8.4		272.2	124	95	3.4		406.72
84	60	8.1		275.5	125	64	3.5		410
85	54	8.1		278.8	126	68	2.6		413.28
86	50	8.0		282.1	127	69	2.4		416.56
87	49	7.8		285.4	128	64	3.2		419.84
88	45	8.1		288.6	129	62	3.6		423.12
89	43	7.8		291.9	130	64	3.2		426.4
90	45	7.9		295.2	131	62	2.6		429.68
91	45	7.9		298.5	132	65	2.4		432.96
92	46	7.8		301.8	133	64	2.4		436.24
93	40	7.8		305.0	134	65	2.2		439.52
94	34	8.2		308.3	135	60	2.1		442.8
95	27	8.5		311.6	136	64	2.4		446.08
96	26	8.5		314.9	137	62	3.2		449.36
97	20	8.3		318.2	138	61	3.4		452.64
98	18	8.0		321.4	139	62	3.2		455.92
99	15	7.9		324.7	140	65	2.6		459.2
100	16	8.0		328.0	141	62	2.4		462.48
101	13	7.8		331.3	142	61	2.2		465.76
102	14	7.2		334.6	143	62	2.1		469.04
103	15	6.9		337.8	144	61	2.2		472.32
104	16	7.2		341.1	145	64	2.1		475.6
105	14	7.2		344.4	146	62	2.3		478.88
106	15	7.1		347.7	147	61	2.1		482.16
107	16	6.8		351.0	148	62	2.3		485.44
108	64	5.6		354.2	149	65	2.1		488.72
109	82	4.9		357.5	150	66	2.4		492
110	86	4.2		360.8	151				495.28
111	87	4.8		364.1	152				498.56
112	89	6.4		367.4	153				501.84
113	82	6.8		370.6	154				505.12
114	48	7.1		373.9	155				508.4
115	56	7.2		377.2	156				511.68
116	94	7.0		380.5	157				514.96
117	92	7.0		383.8	158				518.24
118	91	7.2		387.0	159				521.52
119	96	7.5		390.3	160				524.8
120	94	7.6		393.6	161				528.08
121	92	7.8		396.9	162				531.36
122	91	7.9		400.2	163				534.64