



m/s. welspm



**GLOBAL GROUND WATER CONSULTANTS**

84-III Floor, Humayunpur, Seldarjung Enclave, New Delhi - 110 029  
 Mobile : 9818 888 824, 9818 007 038  
 E-mail : srikanthchukka.c23@gmail.com, ravikanth44@yahoo.com

Mr. Kishan Chopal  
 Mr. Koushik

**GEOPHYSICAL ELECTRICAL LOGGING REPORT AT**

Tubewell No. : .....

Date : ...14/2/2023

Village : RASGARHI

Block : LAKOWATI

District : Bulandshahr, U.P

Depth in Metres	Expected Litholog	Expected Water Quality
0-3m	Surface Soil	
3-10	Sandy clay	
10-32	medium sand	Good
32-35	Sandy clay	
35-46	medium to fine sand	Good
46-59	medium sand	Good
59-68	Sandy clay	
68-78	medium sand	Good
78-86	Sandy clay	
86-91	medium sand	Good
91-106	clay	
106-122	medium sand	Good
122-150	clay kankar.	

For Global Groundwater Consultants

⊗ EXPECTED WATER ZONE

⚓ WATER LEVEL : .....9..... METRES

*Kishan*  
 Mr. RAJ K. RAJ  
 14/2/2023

Consulting Geologists, Geophysicists & Ground Water Specialists

Scanned by CamScanner



Rajgashi  
 Lakowahi  
 Bulandshahr, U.P.  
 Location:

Date: 14/2/2023

Mrs. Wels puri  
 Mr. Kishan goyal  
 M. KUSOON  
 GGWC

Depth in m	SP	SN in Ohms	in Feet	Depth in m	SP	SN in ohm	in Feet
0			0.0	41	76	3.9	134.5
1			3.3	42	74	3.0	137.8
2			6.6	43	64	3.0	141.0
3	26	3.6	9.8	44	62	3.8	144.3
4	24	3.8	13.1	45	48	3.7	147.6
5	32	3.2	16.4	46	42	4.6	150.9
6	31	3.3	19.7	47	46	5.4	154.2
7	36	3.4	23.0	48	44	6.2	157.4
8	38	3.5	26.2	49	45	6.9	160.7
9	39	3.7	29.5	50	42	7.1	164.0
10	41	4.8	32.8	51	23	7.2	167.3
11	46	6.4	35.1	52	30	6.9	170.6
12	44	6.5	39.4	53	31	6.7	173.8
13	47	6.7	42.6	54	36	6.9	177.1
14	39	6.8	45.9	55	38	6.7	180.4
15	36	7.4	49.2	56	39	6.7	183.7
16	32	6.8	52.5	57	41	7.1	187.0
17	35	6.5	55.8	58	44	7.1	190.2
18	34	6.4	59.0	59	45	6.6	193.5
19	32	6.7	62.3	60	42	2.9	196.8
20	30	6.5	65.6	61	41	2.3	200.1
21	28	6.7	68.9	62	46	2.5	203.4
22	29	6.7	72.2	63	44	2.5	206.6
23	31	6.7	75.4	64	48	2.4	209.8
24	34	7.2	78.7	65	40	2.5	213.2
25	38	6.8	82.0	66	32	2.9	216.5
26	64	7.0	85.3	67	39	3.6	219.8
27	62	7.2	88.6	68	24	4.4	223.0
28	66	7.4	91.8	69	25	4.9	226.3
29	69	8.0	95.1	70	26	3.6	229.6
30	71	8.1	98.4	71	28	5.1	232.9
31	72	7.3	101.7	72	29	5.6	236.2
32	74	6.8	105.0	73	31	5.5	239.4
33	22	4.5	108.2	74	32	5.4	242.7
34	71	8.1	111.5	75	32	5.8	246.0
35	76	4.1	114.8	76	31	5.9	249.3
36	72	5.7	118.1	77	36	6.0	252.6
37	71	6.6	121.4	78	38	5.8	255.8
38	74	6.9	124.6	79	34	2.2	259.1
39	78	4.2	127.9	80	35	2.6	262.4
40	79	4.4	131.2	81	39	3.2	265.7

Sevasset



					GGWC				
Depth in m	SP	SN		In Feet	Depth in m	SP	SN		In Feet
82	36	2.8		269.0	123	92	3.6		403.44
83	35	2.4		272.2	124	91	2.3		406.72
84	34	2.5		275.5	125	96	2.4		410
85	43	2.5		278.8	126	94	2.6		413.28
86	45	3.2		282.1	127	92	2.2		416.58
87	25	5.2	1	285.4	128	91	1.9		419.84
88	24	5.9		288.6	129	90	1.6		423.12
89	28	5.9	MS	291.9	130	86	1.4		426.4
90	29	6.1		295.2	131	85	1.8		429.68
91	24	6.0		298.5	132	82	1.9		432.96
92	26	3.2		301.8	133	71	2.2		436.24
93	35	2.3		305.0	134	76	2.4		439.52
94	39	2.5		308.3	135	78	2.3		442.8
95	36	2.6		311.6	136	79	2.4		446.08
96	38	1.9		314.9	137	75	2.2		449.36
97	41	1.6		318.2	138	64	2.1		452.64
98	44	1.5		321.4	139	62	2.4		455.92
99	43	1.8		324.7	140	61	2.5		459.2
100	42	1.8		328.0	141	60	2.6		462.48
101	41	1.7		331.3	142	71	2.5		465.76
102	44	1.6		334.6	143	72	2.6		469.04
103	46	1.6		337.8	144	73	2.4		472.32
104	44	2.2		341.1	145	72	2.6		475.6
105	46	2.8		344.4	146	71	1.9		478.88
106	44	4.5		347.7	147	70	1.4		482.16
107	42	5.6		351.0	148	28	1.8		485.44
108	41	5.4		354.2	149	29	1.9		488.72
109	46	5.2		357.5	150	31	1.6		492
110	48	6.1		360.8	151				495.28
111	46	5.9		364.1	152				498.56
112	44	6.0		367.4	153				501.84
113	42	5.6		370.6	154				505.12
114	41	5.5		373.9	155				508.4
115	46	5.3	MS	377.2	156				511.68
116	48	5.7		380.5	157				514.96
117	46	11.6		383.8	158				518.24
118	49	9.0		387.0	159				521.52
119	46	7.3		390.3	160				524.8
120	55	6.7		393.6	161				528.08
121	92	6.0		396.9	162				531.36
122	94	4.8		400.2	163				534.64