


N.C.C. TPI JE HFEFE
 M. C. C. T. P. I. J. E. H. F. E. F. E.

(Signature)

119.5
 119.5 - 0.5



Total = 119.5
 H. pipe $\phi 300 = 36.2$
 P. pipe $\phi 150 = 53.1$
 S. pipe $\phi 150 = 30.0$
 comp ring $\phi 300 =$
 comp ring $\phi 150 =$

- 10 - 6.00 (3+3)
- 9 - 6.00 (4+2)
- 8 - 6.00 (4+2)
- 7 - 6.00
- 6 - 6.00
- 5 - 6.00
- 4 - 6.00
- 3 - 6.00
- 2 - 6.00
- 1 - 6.00

Plain pipe

- 168 - 180 - 12
- 107 - 113 - 06
- 93 - 97 - 04
- 77 - 82 - 05
- 67 - 71 - 04
- 45 - 63 - 18
- 25 - 41 - 16

- ① 6.00
- ② 6.00
- ③ 6.00 (5+1)
- ④ 6.00 (4+2)

Slotted pipe

Logged Report

Logged Depth: -181

Cluster - Kapfangers
 Block - Ramkoda
 Section: Ustawa Group

Box 512 - 600x500
 Hasmabg - 300x150
 2 pin - 800
 Date: 31/10/23

119.5

M/s Mahalaxmi Tube well

Rajendra Nagar Pukhrayan Kanpur
9935299290mahalaxmitubewell@gmail.com



Geophysical Well Logging Report

Ref No – 10/321 Date -30/10/2023

Site Location : - Urdaha GGP Ramkola Kushinagar
District : - Kushi Nagar

Logged Depth : - 180 M BGL

Date of Logging : - 30/10/2023

Types of Log : - S.P& N16, N-64 LAT

Logger used : - IGIS

Name of Agency : - NCC Limited Kushi Nagar

The following permeable granular zones have been deciphered with the

help of Electrical Logger

Sr No	Depth Range From M.B.G.L	Depth Range M.B.G.L	Thickness Mtr.	Inferred Lithology	Quality of G.W.
01	25	41	16	Fine to Medium Sand	Good
02	45	63	18		
03	67	71	04	Fine Sand with Kanakar	Good
04	77	82	05		
05	93	97	04		
06	107	113	06		
07	168	180	12		

Note- All zones are highly intermixed with fine bands of kanakar. Sr no 03 to 06 are fine sand zone with highly intermixed with kanakar.

M/s Mahalaxmi Tube Well