


Office of the NCC Limited PADRAUNA Kushinagar Proposed
 Tubewell Assembly of Bardaha Tubewell
 Block Raptanganj Under Jal Jivan Mission



Logging Date - 06-11-23
 Depth Logged - 156m bgl
 Bore size - 600x500
 Drilling Depth -
 Discharge:-

S. NO.	DEPTH RANGE (MBGL)	THICKNESS (M)	REMARK
1.	48 - 60	12	
2.	66 - 75	09	
3.	95 - 98	03	
4.	110 - 114	04	
5.	144 - 154	10	

NOTE:-

JE(E/M)
 NCC LTD.

DPM
 Kushinagar

Abhay Pratapsingh
 (M/s Medha)

JE

AE
 EE, CD EAM UP JN (GRAMIN) MORAKHPUR

EE

Cluster - Kapteanganj
 Block: Kapteanganj
 Scheme: Baoldiha

Bar/S: 26-600x500
 Assembly Set - 300x150
 L.P.M - 950
 Date - 06/11/23

Logged Depth - 156

Logged Report

- ① 48-60-12
- ② 66-75-09
- ③ 95-98-03
- ④ 110-114-04
- ⑤ 144-154-10

Main Pipe

- ① 6.03 ✓
- ② 6.03 ✓
- ③ 6.00 ✓
- ④ 6.00 ✓
- ⑤ 6.00 ✓
- ⑥ 6.00 ✓
- ⑦ 6.00 ✓
- ⑧ 6.00 ✓
- ⑨ 6.00 ✓
- ⑩ 6.00 (4+2)


Studded Pipe

- ① 6.00 ✓
- ② 6.00 ✓
- ③ 6.00 ✓
- ④ 6.00 (3+3)
- ⑤ 6.00 (4+2)

Total length - 120.5

H. Pipe ϕ 300 - 36.24
 P. Pipe ϕ 150 - ~~36.24~~ 56.06
 S. Pipe ϕ 150 - 28.0

Misc ring ϕ 300 -
 Misc ring ϕ 150 -



deh
 N.C.C TPI JE AE EE
 Jethigen Jethigen Jethigen

M/s Mahalaxmi Tube well



Rajnendra Nagar Pukhrayan Kanpur
9935299290mahalaxmitubewell@gmail.com

Geophysical Well Logging Report

Ref No – 11/58

Date -06/11/2023

Site Location : - Bardiha Kaptanganj Kushinagar
District : - Kushi Nagar
Logged Depth : - 156 M BGL
Date of Logging : - 06/11/2023
Types of Log : - S.P& N16, N-64 LAT
Logger used : - IGIS
Name of Agency : - NCC Limited Kushi Nagar


The following permeable granular zones have been deciphered with the help of Electrical Logger

Sr NO	Depth Range From M.B.G.L	Depth Range M.B.G.L.	Thickness Mtr.	Inferred Lithology	Quality of G.W.
01	48	60	12	Fine to Medium Sand	Good
02	66	75	09		
03	95	98	03		
04	110	114	04		
05	144	154	10		

Note- All zones are highly intermixed with fine bands of kankar. Sr no 03 and 04 are fine sand zone.

M/s Mahalaxmi Tube Well

Office of the NCC Limited PADRAUNA Kushinagar Proposed
 Tubewell Assembly of Bardaha Tubewell
 Block Raptanganj Under Jal Jivan Mission



Logging Date - 06-11-23
 Depth Logged - 156m bgl
 Bore size - 600x500
 Drilling Depth -
 Discharge:-

S. NO.	DEPTH RANGE (MBGL)	THICKNESS (M)	REMARKS
1.	48 - 60	12	
2.	66 - 75	09	
3.	95 - 98	03	
4.	110 - 114	04	
5.	144 - 154	10	

NOTE:-

JE(E/M)
 NCC LTD.

DPM
 Kushinagar

Abhay Pratapsingh
 (M/s Medha)

JE

AE
 EE, CD EAM UP JN (GRAMIN) MORAKHPUR

EE

Cluster - Kapteanganj
 Block: Kapteanganj
 Scheme: Baoldiha

Bar/S: 26-600x500
 Assembly Set - 300x150
 L.P.M - 950
 Date - 06/11/23

Logged Depth - 156

Logged Report

- ① 48-60-12
- ② 66-75-09
- ③ 95-98-03
- ④ 110-114-04
- ⑤ 144-154-10

Main Pipe

- ① 6.03 ✓
- ② 6.03 ✓
- ③ 6.00 ✓
- ④ 6.00 ✓
- ⑤ 6.00 ✓
- ⑥ 6.00 ✓
- ⑦ 6.00 ✓
- ⑧ 6.00 ✓
- ⑨ 6.00 ✓
- ⑩ 6.00 (4+2)

Studded Pipe

- ① 6.00 ✓
- ② 6.00 ✓
- ③ 6.00 ✓
- ④ 6.00 (3+3)
- ⑤ 6.00 (4+2)

Total length - 120.5


H. Pipe ϕ 300 - 36.24

P. Pipe ϕ 150 - ~~36.24~~ 56.06

S. Pipe ϕ 150 - 28.0

Misc ring ϕ 300 -

Misc ring ϕ 150 -



den
 N.CC TPI JE AE EE
 Jethigen Jethigen Jethigen

M/s Mahalaxmi Tube well



Rajnendra Nagar Pukhrayan Kanpur
9935299290mahalaxmitubewell@gmail.com

Geophysical Well Logging Report

Ref No – 11/58

Date -06/11/2023

Site Location : - Bardiha Kaptanganj Kushinagar
District : - Kushi Nagar
Logged Depth : - 156 M BGL
Date of Logging : - 06/11/2023
Types of Log : - S.P& N16, N-64 LAT
Logger used : - IGIS
Name of Agency : - NCC Limited Kushi Nagar


The following permeable granular zones have been deciphered with the help of Electrical Logger

Sr NO	Depth Range From M.B.G.L	Depth Range M.B.G.L.	Thickness Mtr.	Inferred Lithology	Quality of G.W.
01	48	60	12	Fine to Medium Sand	Good
02	66	75	09		
03	95	98	03		
04	110	114	04		
05	144	154	10		

Note- All zones are highly intermixed with fine bands of kankar. Sr no 03 and 04 are fine sand zone.

M/s Mahalaxmi Tube Well

Office of the NCC Limited PADRAUNA Kushinagar Proposed
 Tubewell Assembly of Bardaha Tubewell
 Block Raptanganj Under Jal Jivan Mission



Logging Date - 06-11-23
 Depth Logged - 156m bgl
 Bore size - 600x500
 Drilling Depth -
 Discharge:-

S. NO.	DEPTH RANGE (MBGL)	THICKNESS (M)	REMARKS
1.	48 - 60	12	
2.	66 - 75	09	
3.	95 - 98	03	
4.	110 - 114	04	
5.	144 - 154	10	

NOTE:-

JE(E/M)
 NCC LTD.

DPM
 Kushinagar

Abhay Pratapsingh
 (M/s Medha)

JE

AE
 EE, CD EAM UP JN (GRAMIN) MORAKHPUR

EE

Cluster - Kapteanganj
 Block: Kapteanganj
 Scheme: Baoldiha

Bar/S: 26-600x500
 Assembly Set - 300x150
 L.P.M - 950
 Date - 06/11/23

Logged Depth - 156

Logged Report

- ① 48-60-12
- ② 66-75-09
- ③ 95-98-03
- ④ 110-114-04
- ⑤ 144-154-10

Main Pipe

- ① 6.03 ✓
- ② 6.03 ✓
- ③ 6.00 ✓
- ④ 6.00 ✓
- ⑤ 6.00 ✓
- ⑥ 6.00 ✓
- ⑦ 6.00 ✓
- ⑧ 6.00 ✓
- ⑨ 6.00 ✓
- ⑩ 6.00 (4+2)

Studded Pipe

- ① 6.00 ✓
- ② 6.00 ✓
- ③ 6.00 ✓
- ④ 6.00 (3+3)
- ⑤ 6.00 (4+2)

Total length - 120.5


H. Pipe ϕ 300 - 36.24

P. Pipe ϕ 150 - ~~36.24~~ 56.06

S. Pipe ϕ 150 - 28.0

Misc ring ϕ 300 -

Misc ring ϕ 150 -



deh
 N.C.C TPI JE AE EE
 Jethigen Jethigen Jethigen

M/s Mahalaxmi Tube well



Rajnendra Nagar Pukhrayan Kanpur
9935299290mahalaxmitubewell@gmail.com

Geophysical Well Logging Report

Ref No – 11/58

Date -06/11/2023

Site Location : - Bardiha Kaptanganj Kushinagar
District : - Kushi Nagar
Logged Depth : - 156 M BGL
Date of Logging : - 06/11/2023
Types of Log : - S.P& N16, N-64 LAT
Logger used : - IGIS
Name of Agency : - NCC Limited Kushi Nagar


The following permeable granular zones have been deciphered with the help of Electrical Logger

Sr NO	Depth Range From M.B.G.L	Depth Range M.B.G.L.	Thickness Mtr.	Inferred Lithology	Quality of G.W.
01	48	60	12	Fine to Medium Sand	Good
02	66	75	09		
03	95	98	03		
04	110	114	04		
05	144	154	10		

Note- All zones are highly intermixed with fine bands of kankar. Sr no 03 and 04 are fine sand zone.

M/s Mahalaxmi Tube Well

Office of the NCC Limited PADRAUNA Kushinagar Proposed
 Tubewell Assembly of Bardaha Tubewell
 Block Raptanganj Under Jal Jivan Mission



Logging Date - 06-11-23
 Depth Logged - 156m bgl
 Bore size - 600x500
 Drilling Depth -
 Discharge:-

S. NO.	DEPTH RANGE (MBGL)	THICKNESS (M)	REMARK
1.	48 - 60	12	
2.	66 - 75	09	
3.	95 - 98	03	
4.	110 - 114	04	
5.	144 - 154	10	

NOTE:-

JE(E/M)
 NCC LTD.

DPM
 Kushinagar

Abhay Pratapsingh
 (M/s Medha)

JE

AE
 EE, CD EAM UP JN (GRAMIN) MORAKHPUR

EE

Cluster - Kapteanganj
 Block: Kapteanganj
 Scheme: Baoldiha

Bar/S: 26-600x500
 Assembly Set - 300x150
 L.P.M - 950
 Date - 06/11/23

Logged Depth - 156

Logged Report

- ① 48-60-12
- ② 66-75-09
- ③ 95-98-03
- ④ 110-114-04
- ⑤ 144-154-10

Main Pipe

- ① 6.03 ✓
- ② 6.03 ✓
- ③ 6.00 ✓
- ④ 6.00 ✓
- ⑤ 6.00 ✓
- ⑥ 6.00 ✓
- ⑦ 6.00 ✓
- ⑧ 6.00 ✓
- ⑨ 6.00 ✓
- ⑩ 6.00 (4+2)


Studded Pipe

- ① 6.00 ✓
- ② 6.00 ✓
- ③ 6.00 ✓
- ④ 6.00 (3+3)
- ⑤ 6.00 (4+2)

Total length - 120.5

H. Pipe ϕ 300 - 36.24
 P. Pipe ϕ 150 - ~~36.24~~ 56.06
 S. Pipe ϕ 150 - 28.0

Misc ring ϕ 300 -
 Misc ring ϕ 150 -



den
 N.CC TPI JE AE EE
 Jethigen Jethigen Jethigen

Acc: 0.5
 Total 120.5

M/s Mahalaxmi Tube well



Rajnendra Nagar Pukhrayan Kanpur
9935299290mahalaxmitubewell@gmail.com

Geophysical Well Logging Report

Ref No – 11/58

Date -06/11/2023

Site Location : - Bardiha Kaptanganj Kushinagar
District : - Kushi Nagar
Logged Depth : - 156 M BGL
Date of Logging : - 06/11/2023
Types of Log : - S.P& N16, N-64 LAT
Logger used : - IGIS
Name of Agency : - NCC Limited Kushi Nagar

The following permeable granular zones have been deciphered with the help of Electrical Logger

Sr NO	Depth Range From M.B.G.L	Depth Range M.B.G.L.	Thickness Mtr.	Inferred Lithology	Quality of G.W.
01	48	60	12	Fine to Medium Sand	Good
02	66	75	09		
03	95	98	03		
04	110	114	04		
05	144	154	10		

Note- All zones are highly intermixed with fine bands of kankar. Sr no 03 and 04 are fine sand zone.

M/s Mahalaxmi Tube Well