

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

**GEO-PHYSICAL WELL
ELECTOLOGGING REPORT**

Ref No:- 176

Date:- 02-05-2022

NAME OF SITE

Gram Panchayat- Chaharpur BLOCK- Madnapur DISTT- Shahjahanpur

NAME OF AGENCY

M/s NCC Ltd.
Shahjahanpur



GROUND WATER SURVEY CONSULTANCY


Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.

112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006

(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO ; 9001 : 2015

Ground Water Survey Consultancy



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- CHAHARPUR, BLOCK- MADNAPUR
DISTT- SHAHJAHANPUR
UNDER
JAL JIVAN MISSION

Introduction :

A Deep bore hole was drilled 130 mtrs. depth. and Logged depth 130 mtrs. at above site. Was drilled by M/S NCC Ltd., Shahjahanpur.


On the request of M/S NCC Ltd., Shahjahanpur. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 02.May.2022.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major equifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Defth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 20	15	Clay kankar	
3.	20 - 27	7	Fine to Medium sand	Good
4.	27 - 32	5	Clay kankar	
5.	32 - 50*	18	Medium sand	Good
6.	50 - 55	5	Clay kankar	
7.	55 - 82*	27	Medium sand	Good
8.	82 - 95	13	Clay kankar	
9.	95 - 106*	11	Medium sand	Good
10.	106 - 120	14	Clay kankar	
11.	120 - 125	5	Sandy clay	
12.	125 - 130	5	Clay kankar	

Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting starta chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Good.
4. Expected discharge is 900 to 1000 L.P.M.
5. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
6. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.



Ground Water Survey Consultancy

1557-3 W. CHRYSLER BLVD
 WILMINGTON, DE
 19806
 301.485.1300
 301.485.1301
 301.485.1302
 301.485.1303
 301.485.1304
 301.485.1305
 301.485.1306
 301.485.1307
 301.485.1308
 301.485.1309
 301.485.1310
 301.485.1311
 301.485.1312
 301.485.1313
 301.485.1314
 301.485.1315
 301.485.1316
 301.485.1317
 301.485.1318
 301.485.1319
 301.485.1320
 301.485.1321
 301.485.1322
 301.485.1323
 301.485.1324
 301.485.1325
 301.485.1326
 301.485.1327
 301.485.1328
 301.485.1329
 301.485.1330
 301.485.1331
 301.485.1332
 301.485.1333
 301.485.1334
 301.485.1335
 301.485.1336
 301.485.1337
 301.485.1338
 301.485.1339
 301.485.1340
 301.485.1341
 301.485.1342
 301.485.1343
 301.485.1344
 301.485.1345
 301.485.1346
 301.485.1347
 301.485.1348
 301.485.1349
 301.485.1350
 301.485.1351
 301.485.1352
 301.485.1353
 301.485.1354
 301.485.1355
 301.485.1356
 301.485.1357
 301.485.1358
 301.485.1359
 301.485.1360
 301.485.1361
 301.485.1362
 301.485.1363
 301.485.1364
 301.485.1365
 301.485.1366
 301.485.1367
 301.485.1368
 301.485.1369
 301.485.1370
 301.485.1371
 301.485.1372
 301.485.1373
 301.485.1374
 301.485.1375
 301.485.1376
 301.485.1377
 301.485.1378
 301.485.1379
 301.485.1380
 301.485.1381
 301.485.1382
 301.485.1383
 301.485.1384
 301.485.1385
 301.485.1386
 301.485.1387
 301.485.1388
 301.485.1389
 301.485.1390
 301.485.1391
 301.485.1392
 301.485.1393
 301.485.1394
 301.485.1395
 301.485.1396
 301.485.1397
 301.485.1398
 301.485.1399
 301.485.1400
 301.485.1401
 301.485.1402
 301.485.1403
 301.485.1404
 301.485.1405
 301.485.1406
 301.485.1407
 301.485.1408
 301.485.1409
 301.485.1410
 301.485.1411
 301.485.1412
 301.485.1413
 301.485.1414
 301.485.1415
 301.485.1416
 301.485.1417
 301.485.1418
 301.485.1419
 301.485.1420
 301.485.1421
 301.485.1422
 301.485.1423
 301.485.1424
 301.485.1425
 301.485.1426
 301.485.1427
 301.485.1428
 301.485.1429
 301.485.1430
 301.485.1431
 301.485.1432
 301.485.1433
 301.485.1434
 301.485.1435
 301.485.1436
 301.485.1437
 301.485.1438
 301.485.1439
 301.485.1440
 301.485.1441
 301.485.1442
 301.485.1443
 301.485.1444
 301.485.1445
 301.485.1446
 301.485.1447
 301.485.1448
 301.485.1449
 301.485.1450
 301.485.1451
 301.485.1452
 301.485.1453
 301.485.1454
 301.485.1455
 301.485.1456
 301.485.1457
 301.485.1458
 301.485.1459
 301.485.1460
 301.485.1461
 301.485.1462
 301.485.1463
 301.485.1464
 301.485.1465
 301.485.1466
 301.485.1467
 301.485.1468
 301.485.1469
 301.485.1470
 301.485.1471
 301.485.1472
 301.485.1473
 301.485.1474
 301.485.1475
 301.485.1476
 301.485.1477
 301.485.1478
 301.485.1479
 301.485.1480
 301.485.1481
 301.485.1482
 301.485.1483
 301.485.1484
 301.485.1485
 301.485.1486
 301.485.1487
 301.485.1488
 301.485.1489
 301.485.1490
 301.485.1491
 301.485.1492
 301.485.1493
 301.485.1494
 301.485.1495
 301.485.1496
 301.485.1497
 301.485.1498
 301.485.1499
 301.485.1500

Rhos
 M16 (SN)
 M64 (LN)
 LAT

SP (m V)

