


Office of the NCC Limited PADMINI Kushi Nagar Tubewell Proposed
 Tubewell Assembly of Tikan
 Under Jar Jivan Mission

Block HATA




Sl. No.	DEPTH RANGE (Meters)	THICKNESS (M)	REMARKS
5			

Logging Date - 03-11-23
 Depth Logged - 180 m
 Bore size - 600x500
 Drilling Depth:-
 Discharge:-

NOTE:-

JE(E/M) DPM KUSHI NAGAR (M/S Medha) NCC LTD.
 AE EEC/D EAM UP JM (GRAMIN) CHOPAKHPUR
 SE
 Ashay Jadhav
 PPI



Well Top FF FF FF
 Bottom section 161.5

Total length = 161.5
 H. pipe $\phi 300 = 36.14$
 P. pipe $\phi 150 = 93.16$
 S. pipe $\phi 150 = 32.0$
 M.S. ring $\phi 300 = 7$
 M.S. ring $\phi 150 = 25$

Slotted Pipe
 ① 6.00m
 ② 6.00m
 ③ 6.00m
 ④ 6.00m
 ⑤ 6.00m - (4+2)
 ⑥ 6.00m - (4+2)

- Plain Pipe
- ① 6.03m
 - ② 6.03m
 - ③ 6.00m
 - ④ 6.00m
 - ⑤ 6.00m
 - ⑥ 6.00m
 - ⑦ 6.00m
 - ⑧ 6.00m
 - ⑨ 6.00m
 - ⑩ 6.00m
 - ⑪ 6.00m
 - ⑫ 6.00m
 - ⑬ 6.00m
 - ⑭ 6.00m
 - ⑮ 6.00m
 - ⑯ 6.00m
 - ⑰ 6.00m
 - ⑱ 6.00m
 - ⑲ 6.00m
 - ⑳ 6.00m
 - ㉑ 6.00m
 - ㉒ 6.00m
 - ㉓ 6.00m
 - ㉔ 6.00m
 - ㉕ 6.00m
 - ㉖ 6.00m
 - ㉗ 6.00m
 - ㉘ 6.00m
 - ㉙ 6.00m
 - ㉚ 6.00m
 - ㉛ 6.00m
 - ㉜ 6.00m
 - ㉝ 6.00m
 - ㉞ 6.00m
 - ㉟ 6.00m
 - ㊱ 6.00m
 - ㊲ 6.00m
 - ㊳ 6.00m
 - ㊴ 6.00m
 - ㊵ 6.00m
 - ㊶ 6.00m
 - ㊷ 6.00m
 - ㊸ 6.00m
 - ㊹ 6.00m
 - ㊺ 6.00m
 - ㊻ 6.00m
 - ㊼ 6.00m
 - ㊽ 6.00m
 - ㊾ 6.00m
 - ㊿ 6.00m

- Logging Report
- ① 25-40-15
 - ② 48-56-08
 - ③ 68-78-10
 - ④ 103-110-07
 - ⑤ 127-131-04
 - ⑥ 152-174-22

Boyle SR 0-000X500
 Assembly SR = 300X500
 L.P.M + 180
 Date = 4/11/23

Cluster - Karpfangan
 Block = Hofa
 Scheme = Tikau
 Logging Depth - 180

M/s Mahalaxmi Tube well

Rajendra Nagar Pukhrayan Kanpur
9935299290mahalaxmitubewell@gmail.com



Geophysical Well Logging Report

Ref No – 11/36 Date -03/11/2023

Site Location : - Tikari Hata Kushinagar

District : - Kushi Nagar

Logged Depth : - 180 M BGL

Date of Logging : - 03/11/2023

Types of Log : - S.P& N16, N-64 LAT

Logger used : - IGIS

Name of Agency : - NCC Limited Kushi Nagar

The following permeable granular zones have been deciphered with the

help of Electrical Logger

Sr NO	Depth Range From M.B.G.L	Depth Range M.B.G.L.	Mtr. Thickness	Inferred Lithology	Quality of G.W.
01	25	40	15	Fine to Medium Sand	Good
02	48	56	08		
03	68	78	10		
04	103	110	07		
05	127	131	04		
06	152	174	22		

Note- All zones are highly intermixed with fine bands of kankar. Sr no 0 3 and 04 are fine sand zone.

M/s Mahalaxmi Tube Well