BORE WELL DEVELOPMENT CHART (E/M)

SWSM/DWSM

NCC LTD.- GORAKHPUR (UP)

NAME OF THE DISTRICT-	Gorakhpur.	TYPE OF RIG M/C-	DC.
NAME OF THE BLOCK-	Bhatat	SIZE OF BORE-	600X500.
NAME OF THE GRAM PANCHAYAT-	Jangal Sakhani	STATIC WATER LEVEL-	
NAME OF THE VILLAGE-		J.E Incharge Ajit Moriya	A.E Incharge Babban yalav,

Discharge - 900LPM.

DEPTH B.G.L IN METER	BORING CHART	STRATA
		Sandy clay
22.3M		Sand + Kankar
30.5M		Clay with Kankar
41.4M		Fine Sand
52.6M		hard Clay
72.3M		Medium Sand
80.7M		Soft Clay.
84.4M		Coarse Sand
102.6M		Sandy Clay.
114.5M		Medium Sand
136.8M		Clay.
160M		

EXECUTED ASSEMBLY



ASSEMBLY DETAILS

300 mm Dia Housing Pipe A.G.L= .5 m			
300 mm Dia Housing Pipe 0 m to 35.72 m			
300 mm Dia Reducer 35.72 m to 35.92 m			
150 mm Dia Blind pipe 35.92 m to 73.58 m			
150 mm Dia Slotted pipe 73.58 m to 79.58 m			
150 mm Dia Blind pipe 79.58 m to 85.60 m			
150 mm Dia Slotted pipe 85.60 m to 97.60 m			
150 mm Dia Blind pipe 97.60 m to 120.21 m			
150 mm Dia Slotted pipe 120.21 m to 132.21 m			
150 mm Dia Blind pipe 132.21 m to 138.25 m			
mm Dia pipe m to m			
mm Dia pipe m to m			
mm Dia pipe m to m			
mm Dia pipe m to m			
mm Dia pipe m to m			
mm Dia pipe m to m			
mm Dia pipe m to m			
mm Dia pipe m to m			
mm Dia pipe m to m			
mm Dia pipe m to m			
mm Dia pipe m to m			
mm Dia pipe m to m			
mm Dia pipe m to m			
mm Dia pipe m to m			
mm Dia pipe m to m			
mm Dia pipe m to m			
Total Assembly= 138.25 m + A.G.L (m) = .5 m			

ABSTRACT

1. Drilling Started-
2. Drilling Completed/Lowering- 27/06/2022
3. Drilling Depth (m)- 160.
4. Assembly Lowered (m)- 138.75
5. Housing Pipe (m)- 36.22.
6. Plain Pipe(m)- 72.33
7. Slotted Pipe(m)- 30.0 (LCG)
8. Reducer(m)- .2

LOGGING REPORT

1- 22 - 30 = 8
2- 41 - 52 = 11
3- 72 - 80 = 8
4- 84 - 102 = 18
5- 114 - 136 = 22.
6-
7-
8-
9-
10-

SOUND TEST-

VERTICALITY TEST-

NCC LTD	J.E & A.E	P.M.C/T.P.I.A	E.E
[signature]	[signature]	[signature]	