BORE WELL DEVELOPMENT CHART (E/M)

SWSM/DWSM

NCC LTD.- GORAKHPUR (UP)

NAME OF THE DISTRICT- Gorakhpur.	TYPE OF RIG M/C- ~~550x500~~ RC/DC
NAME OF THE BLOCK- Pipraich.	SIZE OF BORE- 550 X 500.
NAME OF THE GRAM PANCHAYAT- Baraipur.	STATIC WATER LEVEL-
NAME OF THE VILLAGE-	J.E Incharge A. Maurya A.E Incharge Babban yadav.

Discharge - 450LPM.

DEPTH B.G.L IN METER	BORING CHART	STRATA
0M		clay
24.2M		Medium Sand
28.4M		Sandy clay.
33.5M		Medium to Fine Sand.
38.6M		Soft clay.
42.3M		Medium to Fine Sand
55.5M		hard clay.
70.2M		Sand with Kankar
74.7M		clay with kankar
78.3M		coarse sand
86.6M		Sandy clay
102.2M		Sand with Small Kankar
112.8M		clay.
140M		

EXECUTED ASSEMBLY



ASSEMBLY DETAILS

200	mm Dia Housing Pipe A.G.L=	.50	m		
200	mm Dia Housing Pipe	0	m to	35.63	m
200	mm Dia Reducer	35.63	m to	35.83	m
150	mm Dia Blind pipe	35.83	m to	70.50	m
150	mm Dia Slotted pipe	70.50	m to	73.50	m
150	mm Dia Blind pipe	73.50	m to	78.50	m
150	mm Dia Slotted pipe	78.50	m to	84.50	m
150	mm Dia Blind pipe	84.50	m to	102.54	m
150	mm Dia Slotted pipe	102.54	m to	111.54	m
150	mm Dia Blind pipe	114.54	m to	117.56	m
15	mm Dia pipe		m to		m
	mm Dia pipe		m to		m
	mm Dia pipe		m to		m
	mm Dia pipe		m to		m
	mm Dia pipe		m to		m
	mm Dia pipe		m to		m
	mm Dia pipe		m to		m
	mm Dia pipe		m to		m
	mm Dia pipe		m to		m
	mm Dia pipe		m to		m
	mm Dia pipe		m to		m
	mm Dia pipe		m to		m
	mm Dia pipe		m to		m
	mm Dia pipe		m to		m
	mm Dia pipe		m to		m
	mm Dia pipe		m to		m

Total Assembly= 117.56 m + A.G.L (m) = 118.06 m

ABSTRACT

1.Drilling Started-

2.Drilling Completed/Lowering-

3.Drilling Depth (m)- ~~140~~ Akm 130

4.Assembly Lowered (m)- 118.06.

5.Housing Pipe (m)- 36.13.

6.Plain Pipe(m)- 63.73

7.Slotted Pipe(m)- 18

8.Reducer(m)- .20

LOGGING REPORT

1- 24 - 28 = 4M

2- 33 - 38 = 4M

3- 42 - 55 = 13M

4- 70 - 74 = 4M

5- 78 - 86 = 7M

6- 102 - 112 = 10M.

7-

8-

9-

10-

SOUND TEST-

VERTICALITY TEST-

Ashok Afr	Akm	[signature]	
[illegible]	J.E & A.E	[illegible]	E.E