

GROUND WATER SURVEY CONSULTANCY
GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL
ELECTOLOGGING REPORT

Ref No:-A-495

Date:- 21-03-2023

NAME OF SITE

GRAM PANCHAYAT- Jogi Ther BLOCK- Barkhera DISTT- Pilibhit

NAME OF AGENCY

M/s Vishvaraj Environment Pvt. Ltd.



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006
(M) : 9412260823, 9794625420, 9761163000, Email : gwsc_agra@yahoo.com

ISO ; 9001 : 2015

Ground Water Survey Consultancy



REPORT ON GEOPHYSICAL WELL LOGGING AT

GRAM PANCHAYAT- JOGI THER, BLOCK- BARKHERA, DISTT.- PILIBHIT
UNDER
JAL JIVAN MISSION

Introduction :

A Deep bore hole was drilled 155 mtrs. depth. and Logged depth 153 mtrs. at above site. Was drilled by M/s Vishvaraj Environment Pvt. Ltd.


On the request of M/s Vishvaraj Environment Pvt. Ltd. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 21.Mar.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 8	3	Clay kankar	
3.	8 - 15	7	Fine sand	
4.	15 - 20	5	Clay kankar	
5.	20 - 27	7	Kankar	
6.	27 - 30	3	Clay kankar	
7.	30 - 40	10	Medium sand & kankar	Good
8.	40 - 45	5	Clay kankar	
9.	45 - 56	11	Medium sand	Good
10.	56 - 60	4	Clay kankar	
11.	60 - 71*	11	Medium sand	Good
12.	71 - 80	9	Clay kankar	
13.	80 - 86*	6	Fine to Medium sand	Good
14.	86 - 90	4	Clay kankar	
15.	90 - 98*	8	Medium sand	Good
16.	98 - 105	7	Clay kankar	
17.	105 - 110*	5	Fine to Medium sand	Good
18.	110 - 115	5	Clay kankar	
19.	115 - 131*	16	Medium sand	Good
20.	131 - 136	5	Clay kankar	
21.	136 - 143*	7	Fine to Medium sand	Good
22.	143 - 146	3	Clay kankar	
23.	146 - 153*	7	Medium sand & kankar	Good

Conclusions and Recommendations :-

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Good.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.



Ground Water Survey Consultancy

No. 3
 NISDN
 NISDN
 LAT

Date of Installation
 Name of the well
 Name of the person
 Name of the place
 Name of the State

SP (mV)

