

**GROUND WATER SURVEY CONSULTANCY**  
**GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS**

**GEO-PHYSICAL WELL  
ELECTOLOGGING REPORT**

Ref No:-A-1721

Date:- 29-09-2023

**NAME OF SITE**

GRAM PANCHAYAT- Diuras BLOCK- Khudaganj Katra DISTT- Shahjahanpur

**NAME OF AGENCY**

M/s NCC Ltd.  
Shahjahanpur



**GROUND WATER SURVEY CONSULTANCY**  
Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.  
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006  
(M) : 9412260823, 9794625420, 9761163000, Email : gwsc\_agra@yahoo.com

**ISO ; 9001 : 2015**

Ground Water Survey Consultancy



# REPORT ON GEOPHYSICAL WELL LOGGING AT

## GRAM PANCHAYAT- DIURAS, BLOCK- KHUDAGANJ KATRA, DISTT- SHAHJAHANPUR UNDER JAL JIVAN MISSION

### Introduction :


A Deep bore hole was drilled 130 mtrs. depth. and Logged depth 130 mtrs. at above site. Was drilled by M/S NCC Ltd., Shahjahanpur.

On the request of M/S NCC Ltd., Shahjahanpur. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 29.Sep.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table


S.No.	Depth range(m)	Thickness(m)	Lithology	Expected Water Quality
1.	0 - 5	5	Surface soil	
2.	5 - 13	8	Fine sand	
3.	13 - 17	4	Clay kankar	
4.	17 - 25	8	Medium sand	Medium
5.	25 - 30	5	Clay kankar	
6.	30 - 34	4	Medium sand	Medium
7.	34 - 41	7	Clay kankar	
8.	41 - 58*	17	Medium sand	Medium
9.	58 - 63	5	Clay kankar	
10.	63 - 75*	12	Medium sand	Medium
11.	75 - 80	5	Clay kankar	
12.	80 - 86*	6	Medium sand	Medium
13.	86 - 92	6	Clay kankar	
14.	92 - 100*	8	Medium sand	Medium
15.	100 - 105	5	Clay kankar	
16.	105 - 118*	13	Medium sand	Medium
17.	118 - 130	12	Clay kankar	

Ground Water Survey Consultancy



**Conclusions and Recommendations :-**

1. The Lithology broadly tallies with that of drill cutting strata chart.
2. The zones marked with asterisk (\*) appear to be aquifer zones for possible development of tubewell.
3. The Quality of water is expected Medium.
4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.



**Ground Water Survey Consultancy**

Sheet No. 1  
N18 (N)  
N64(LN)  
LAT

Logging Details  
Logging of Data from  
Dipmeter, Gamma Ray,  
Sonic, Resistivity,  
Sp. Grav. Log,  
1:50  
Upper Gamma Ray

Log No. 1  
1855/02/23

Log Scale  
SP (mV)

Upper Section by  
DATE: 2  
GROUND WATER  
SURVEY  
CONSULTANCY  
AGRA UP, INDIA

