

Bowara khurd
khatauli
muzaffar nagar

N.K.G

Location:

Date: 22/12/2022

GGWC

Depth in m	SP	SN in Ohms	in Feet	Depth in m	SP	SN in ohm	in Feet
0			0.0	41	76	12.1	134.5
1			3.3	42	82	11.7	137.8
2			6.6	43	86	12.2	141.0
3	40	6.4	9.8	44	89	12.5	144.3
4	25	5.8	13.1	45	91	12.4	147.6
5	57	7.0	16.4	46	89	12.4	150.9
6	78	7.9	19.7	47	91	12.1	154.2
7	93	8.3	23.0	48	96	12.0	157.4
8	26	9.0	26.2	49	94	12.0	160.7
9	29	8.3	29.5	50	92	10.2	164.0
10	74	8.9	32.8	51	95	4.6	167.3
11	72	9.1	36.1	52	96	3.9	170.6
12	82	9.2	39.4	53	98	5.6	173.8
13	99	10.2	42.6	54	95	7.6	177.1
14	98	9.5	45.9	55	37	11.5	180.4
15	96	9.2	49.2	56	34	12.8	183.7
16	94	10.7	52.5	57	38	12.6	187.0
17	92	11.0	55.8	58	39	12.8	190.2
18	91	11.0	59.0	59	41	12.7	193.5
19	96	10.8	62.3	60	38	13.9	196.8
20	92	11.1	65.6	61	45	14.7	200.1
21	91	11.9	68.9	62	46	14.6	203.4
22	90	11.9	72.2	63	48	14.3	206.6
23	89	12.3	75.4	64	49	13.7	209.9
24	86	12.7	78.7	65	51	14.0	213.2
25	84	12.3	82.0	66	54	13.4	216.5
26	89	12.3	85.3	67	52	13.1	219.8
27	91	12.2	88.6	68	56	13.2	223.0
28	90	12.1	91.8	69	57	12.9	226.3
29	89	12.0	95.1	70	64	12.9	229.6
30	76	11.9	98.4	71	66	12.1	232.9
31	74	12.1	101.7	72	62	12.4	236.2
32	72	12.4	105.0	73	61	12.6	239.4
33	71	12.0	108.2	74	60	11.0	242.7
34	76	12.0	111.5	75	59	6.0	246.0
35	78	11.5	114.8	76	56	6.1	249.3
36	76	12.1	118.1	77	54	6.2	252.6
37	78	11.9	121.4	78	52	9.2	255.8
38	79	11.6	124.6	79	51	11.4	259.1
39	75	8.7	127.9	80	56	11.5	262.4
40	74	11.9	131.2	81	58	11.7	265.7

Depth in m	SP	SN		in Feet	Depth in m	SP	SN		in Feet
82	56	11.3		269.0	123	68	7.9		403.44
83	54	11.6		272.2	124	69	8.6		406.72
84	52	11.3		275.5	125	71	5.4		410
85	51	10.5		278.8	126	76	3.0	<i>CM</i>	413.28
86	56	10.3		282.1	127	74	3.6		416.56
87	58	11.0		285.4	128	72	3.5		419.84
88	59	11.7		288.6	129	71	3.8		423.12
89	64	10.4		291.9	130	76	5.2		426.4
90	66	11.2		295.2	131	78	4.3		429.68
91	62	12.5		298.5	132	79	6.9		432.96
92	63	11.9		301.8	133	79	8.8		436.24
93	62	11.3		305.0	134	76	7.8		439.52
94	61	10.6		308.3	135	78	6.8		442.8
95	60	12.3		311.6	136	79	9.6	<i>FS</i>	446.08
96	69	12.6		314.9	137	78	9.1		449.36
97	71	12.9		318.2	138	75	10.3		452.64
98	74	12.6		321.4	139	72	11.1		455.92
99	74	12.6		324.7	140	71	11.2		459.2
100	72	12.9	<i>MS</i>	328.0	141				462.48
101	71	12.9		331.3	142				465.76
102	76	12.9		334.6	143				469.04
103	74	13.1		337.8	144				472.32
104	78	13.3		341.1	145				475.6
105	74	13.3		344.4	146				478.88
106	72	13.5		347.7	147				482.16
107	71	12.8		351.0	148				485.44
108	76	12.3		354.2	149				488.72
109	72	14.8		357.5	150				492
110	71	15.7		360.8	151				495.28
111	76	16.1		364.1	152				498.56
112	78	16.4		367.4	153				501.84
113	79	16.1		370.6	154				505.12
114	72	16.4		373.9	155				508.4
115	71	15.9		377.2	156				511.68
116	65	15.9		380.5	157				514.96
117	66	15.2		383.8	158				518.24
118	62	14.5		387.0	159				521.52
119	61	14.2		390.3	160				524.8
120	62	13.2		393.6	161				528.08
121	66	5.3	<i>cy</i>	396.9	162				531.36
122	64	4.6		400.2	163				534.64