BORE WELL DEVELOPMENT CHART (E/M)

SWSM/DWSM

NCC LTD.- GORAKHPUR (UP)

NAME OF THE DISTRICT- Gorakhpur.
NAME OF THE BLOCK- Kauriram.
NAME OF THE GRAM PANCHAYAT- Kashihar.
NAME OF THE VILLAGE-

TYPE OF RIG M/C- RC/DC.
SIZE OF BORE- 550X500.
STATIC WATER LEVEL-
J.E Incharge A. Maurya A.E Incharge Babban yadav.

Discharge - 550 LPM

DEPTH B.G.L IN METER	BORING CHART	STRATA
0M		clay.
28.2M		Medium Sand.
39.6M		Sandy clay.
52.4M		Medium to Fine Sand.
61.5M		clay With Kankar.
64.3M		Medium Sand.
72.6M		Soft clay.
86.2M		Coarse Sand.
102.7M		clay with kankar.
108.3M		Medium Sand.
122.6M		hard clay.
127.2M		Medium Sand.
140.5M		Sandy clay.
152.3		Sand With Small Kankar.
161.6M		clay.

EXECUTED ASSEMBLY



ASSEMBLY DETAILS

200	mm Dia	Housing Pipe A.G.L=	1.50	m
200	mm Dia	Housing Pipe	0 m to 35.66	m
200	mm Dia	Reducer	35.66 m to 35.86	m
150	mm Dia	Blind pipe	35.86 m to 88.06	m
150	mm Dia	Slotted pipe	88.06 m to 100.06	m
150	mm Dia	Blind pipe	100.06 m to 112.11	m
150	mm Dia	Slotted pipe	112.11 m to 118.11	m
150	mm Dia	Blind pipe	118.11 m to 133.16	m
150	mm Dia	Slotted pipe	133.16 m to 139.16	m
150	mm Dia	Blind pipe	139.16 m to 145.18	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m

Total Assembly= 145.18 m + A.G.L (m) = 145.68 m

ABSTRACT

1.Drilling Started-
2.Drilling Completed/Lowering- 20/08/2023
3.Drilling Depth (m)- ~~170~~ 167m
4.Assembly Lowered (m)- 145.68
5.Housing Pipe (m)- 36.16
6.Plain Pipe(m)- 85.32
7.Slotted Pipe(m)- 24
8.Reducer(m)- .20,

LOGGING REPORT

1- 28 - 39 = 11M
2- 52 - 61 = 9M
3- 64 - 72 = 8M
4- 86 - 102 = 16M
5- 108 - 122 = 14M
6- 127 - 140 = 13M
7- 152 - 161 = 9M
8-
9-
10-

SOUND TEST-
VERTICALITY TEST-

NCC LTD | JE & A.E | RM/CTP I.A | E.E