

Chaubli
Chapraili
Bhapph.

L. C. Imbra

H. P. Sharm p.m

Location:

Date: 25/8/2022

GGWC

Depth in m	SP	SN in Ohms		in Feet	Depth in m	SP	SN in ohm		in Feet
0				0.0	41	66	4.0		134.5
1				3.3	42	69	4.0		137.8
2				6.6	43	71	4.1		141.0
3				9.8	44	74	4.0		144.3
4	76	2.7		13.1	45	72	4.0		147.6
5	78	2.8		16.4	46	76	4.0		150.9
6	79	3.6		19.7	47	74	3.9		154.2
7	76	3.8		23.0	48	72	4.0		157.4
8	79	3.7	eg	26.2	49	71	4.1	ms	160.7
9	76	3.0		29.5	50	76	4.2		164.0
10	74	3.2		32.8	51	78	4.3		167.3
11	78	3.3		36.1	52	79	4.5		170.6
12	79	4.0		39.4	53	78	4.2		173.8
13	64	5.2		42.6	54	71	4.2		177.1
14	66	7.4		45.9	55	76	4.2		180.4
15	62	9.8	ms	49.2	56	75	4.1		183.7
16	61	11.1		52.5	57	74	4.1		187.0
17	60	11.7		55.8	58	79	4.1		190.2
18	69	11.1		59.0	59	81	4.0		193.5
19	71	8.2		62.3	60	84	3.9		196.8
20	68	4.6		65.6	61	85	3.8		200.1
21	66	3.5		68.9	62	89	3.8		203.4
22	64	3.4		72.2	63	91	3.8	FS	206.6
23	69	2.8		75.4	64	96	3.7		209.9
24	62	2.5		78.7	65	94	3.6		213.2
25	59	2.2		82.0	66	92	3.6		216.5
26	56	2.4		85.3	67	96	3.5		219.8
27	59	2.5		88.6	68	94	2.9		223.0
28	58	2.6		91.8	69	98	2.7	cg	226.3
29	56	2.5		95.1	70	96	2.5		229.6
30	59	2.2		98.4	71	95	2.3		232.9
31	58	2.3		101.7	72	98	2.8		236.2
32	59	2.4		105.0	73	94	3.4		239.4
33	56	2.8		108.2	74	89	3.7		242.7
34	54	3.2		111.5	75	91	3.7		246.0
35	58	3.3		114.8	76	96	3.8		249.3
36	59	3.3		118.1	77	92	3.8		252.6
37	64	3.3	FS	121.4	78	91	3.8	FS	255.8
38	69	3.5		124.6	79	90	3.7		259.1
39	66	3.7		127.9	80	78	3.7		262.4
40	64	3.2		131.2	81	76	3.7		265.7

Depth in m	SP	SN		in Feet	Depth in m	SP	SN		in Feet
82	75	2.8		269.0	123	89	2.4		403.44
83	76	2.3		272.2	124	91	2.5		406.72
84	74	2.1		275.5	125	96	2.4		410
85	75	2.0		278.8	126	93	2.3		413.28
86	76	2.1		282.1	127	87	2.2		416.56
87	78	2.2		285.4	128	82	2.1		419.84
88	84	2.1		288.6	129	81	2.3		423.12
89	89	2.4		291.9	130	86	2.3		426.4
90	91	2.8		295.2	131	84	2.2		429.68
91	96	2.6		298.5	132	82	2.4		432.96
92	92	2.5		301.8	133	81	2.3		436.24
93	91	2.5		305.0	134				439.52
94	76	2.5		308.3	135				442.8
95	78	2.5		311.6	136				446.08
96	79	2.5		314.9	137				449.36
97	81	2.6		318.2	138				452.64
98	86	2.6		321.4	139				455.92
99	89	2.5		324.7	140				459.2
100	91	2.3		328.0	141				462.48
101	96	2.2		331.3	142				465.76
102	94	2.4		334.6	143				469.04
103	93	2.7		337.8	144				472.32
104	92	3.0		341.1	145				475.6
105	91	3.2		344.4	146				478.88
106	96	3.3		347.7	147				482.16
107	95	3.4		351.0	148				485.44
108	96	3.4		354.2	149				488.72
109	95	3.3		357.5	150				492
110	96	3.2		360.8	151				495.28
111	94	3.1		364.1	152				498.56
112	96	2.9		367.4	153				501.84
113	95	2.4		370.6	154				505.12
114	96	2.6		373.9	155				508.4
115	98	1.9		377.2	156				511.68
116	97	2.0		380.5	157				514.96
117	86	2.0		383.8	158				518.24
118	85	1.8		387.0	159				521.52
119	84	1.9		390.3	160				524.8
120	89	1.5		393.6	161				528.08
121	86	2.1		396.9	162				531.36
122	84	2.1		400.2	163				534.64