BORE WELL DEVELOPMENT CHART (E/M)

SWSM/DWSM

NCC LTD.- GORAKHPUR (UP)

NAME OF THE DISTRICT- Gorakhpur

NAME OF THE BLOCK- Pipraili

NAME OF THE GRAM PANCHAYAT- Bhi loura Khurd.

NAME OF THE VILLAGE-

Discharge - 550 LPM

TYPE OF RIG M/C- RC/DC.

SIZE OF BORE- 550×500.

STATIC WATER LEVEL-

J.E Incharge- A. Maurya A.E Incharge- Babban yesdar

DEPTH B.G.L IN METER	BORING CHART	STRATA
0M		Sandy clay.
23.2M		Medium Sand.
28.5M		soft clay.
32.4M		Coarse Sand.
46.5M		clay With kamkar.
54.3M		Medium Sand.
61.6M		sandy clay.
74.2M		Medium Sand.
90.5M		hard clay.
100.3M		Medium Sand.
107.6M		clay.
150M		

EXECUTED ASSEMBLY

AGL 0.50

35.60M

35.80M

77.50M

89.50M

100.50M

106.50M

112.53

Baiplug

ASSEMBLY DETAILS

200 mm Dia Housing Pipe A.G.L= 0.50 m

200 mm Dia Housing Pipe 0 m to 35.60 m

200 mm Dia Reducer 35.60 m to 35.80 m

150 mm Dia Blind pipe 35.80 m to 77.50 m

150 mm Dia Slotted pipe 77.50 m to 89.50 m

150 mm Dia Blind pipe 89.50 m to 100.50 m

150 mm Dia Slotted pipe 100.50 m to 106.50 m

150 mm Dia Blind pipe 106.50 m to 112.53 m

_____ mm Dia _____ pipe _____ m to _____ m

(repeated 20 times)

Total Assembly= 112.53 m + A.G.L (m) = 113.03 m

ABSTRACT

1.Drilling Started-

2.Drilling Completed/Lowering- 02/11/23.

3.Drilling Depth (m)- ~~150~~ 135m.

4.Assembly Lowered (m)- 113.03.

5.Housing Pipe (m)- 36.10

6.Plain Pipe(m)- 58.73.

7.Slotted Pipe(m)- 18

8.Reducer(m)- .20

LOGGING REPORT

1- 23 - 28 = 5M

2- 32 - 46 = 14M

3- 54 - 46 = 7M

4- 74 - 90 = 16M

5- 140 - 107 = 7M.

6-

7-

8-

9-

10-

SOUND TEST-

VERTICALITY TEST-

NCC LTD	J.E & A.E	P.M./C.P.I.A	E.E