BORE WELL DEVELOPMENT CHART (E/M)

SWSM/DWSM

NCC LTD.- GORAKHPUR (UP)

NAME OF THE DISTRICT- Gorakhpur.
NAME OF THE BLOCK- Sahjanwa
NAME OF THE GRAM PANCHAYAT- Bangawa
NAME OF THE VILLAGE-

TYPE OF RIG M/C- RC/DC.
SIZE OF BORE- 550×500
STATIC WATER LEVEL-
J.E Incharge A. Maurya A.E Incharge Babban Yadav

DEPTH B.G.L IN METER	BORING CHART	STRATA
0M		clay.
24.3M		Sand With Kankar.
28.5M		Soft clay.
35.4M		Medium Sand.
49.6M		Sandy clay.
60.9M		Medium Sand.
68.7M		clay With kankar.
72.2M		coarse Sand.
80.6M		Hard clay.
84.1M		Medium Sand.
94.5M		Soft clay.
97.3M		Medium Sand.
102.6M		Sandy clay.
126.2M		Medium Sand.
140.5M		hard clay.
142.3M		Medium Sand
146.7M		clay.

EXECUTED ASSEMBLY



ASSEMBLY DETAILS

200	mm Dia Housing Pipe A.G.L=	+50	m	
200	mm Dia Housing Pipe	0	m to	35.60 m
200	mm Dia Reducer	35.60	m to	35.80 m
150	mm Dia Blind pipe	35.80	m to	73.50m
150	mm Dia Slotted pipe	73.50	m to	79.50m
150	mm Dia Blind pipe	79.50	m to	87.50m
150	mm Dia Slotted pipe	87.50	m to	93.50m
150	mm Dia Blind pipe	93.50	m to	133.50m
150	mm Dia Slotted pipe	133.50	m to	139.50m
150	mm Dia Blind pipe	139.50	m to	145.50m

Total Assembly= 145.50 m + A.G.L (m) = 146 m

ABSTRACT

1. Drilling Started-
2. Drilling Completed/Lowering- 10/07/23
3. Drilling Depth (m)- ~~160~~ 155
4. Assembly Lowered (m)- 146
5. Housing Pipe (m)- 36.10
6. Plain Pipe(m)- 91.7
7. Slotted Pipe(m)- 18
8. Reducer(m)- .20

LOGGING REPORT

1- 24 - 28 = 4M
2- 35 - 49 = 14M
3- 60 - 68 = 8M
4- 72 - 80 = 8M
5- 84 - 94 = 10M
6- 97 - 102 = 5M
7- 126 - 140 = 14M.
8- 142 - 146 = 4M
9-
10-

SOUND TEST-
VERTICALITY TEST-

NCC LTD	J.E & A.E	P.M CCT P.I.A	E.E
Ashish Kr	Akm		