



SUNRISE WATER SOURCES

TUBEWELL ENGINEERS & CONSULTANTS

SERVICES :

Digital Electronic Well Logger upto 600 m

Resistivity Survey upto 1000 m

Survey for Rain Harvesting Wells

Near Canal Bridge, Ropar, (Punjab)

| gurbhej1628@gmail.com

| +91 90416 59909, 89689 21316

BOREHOLE DRILLED AT SITE VILL. MUNDBHAR, BLOCK SHAHPUR, DISTT. MUZAFFARNAGAR (UP)

Drilled Depth :- 167 m

Logg Depth :- 167 m

Water Level :- 12 m (Approx.)

Date :- 03/09/2022

Company Name:- Gayatri- Ramky

OBSERVED

The following granular zones have been observed beyond the static ground water level with the help of Advanced Electronic Geophysical Logger

Depth Range In Mtrs. (B.G.L.)		Length (Mtrs.)	Nature Of Samples
0.00	6.50	6.50	Surface Clay with top Soil
6.50	9.00	2.50	Medium Sand
9.00	16.50	7.50	Clay
16.50	27.00	10.50	Medium Sand
27.00	33.00	6.00	Clay
33.00	37.50	4.50	Medium Sand
37.50	43.00	5.50	Clay
43.00	55.00	12.00	Medium Sand
55.00	59.00	4.00	Clay
59.00	69.50	10.50	Medium Sand
69.50	73.00	3.50	Clay
73.00	82.00	9.00	Medium Sand
82.00	89.60	7.60	Clay
89.60	101.50	11.90	Medium Sand
101.50	105.50	4.00	Clay

For Sunrise Water Sources

G. Singh
Auth. Sign.



SUNRISE WATER SOURCES

TUBEWELL ENGINEERS & CONSULTANTS

SERVICES :

Digital Electronic Well Logger upto 600 m

Resistivity Survey upto 1000 m

Survey for Rain Harvesting Wells

Near Canal Bridge, Ropar, (Punjab)

| gurbhej1628@gmail.com

| +91 90416 59909, 89689 21316

105.50	120.00	14.50	Medium Sand
120.00	127.00	7.00	Clay
127.00	130.00	3.00	Medium Sand
130.00	136.50	6.50	Clay
136.50	141.60	5.10	Medium Sand
141.60	144.50	2.90	Clay
144.50	149.30	4.80	Medium Sand
149.30	155.00	5.70	Clay
155.00	158.00	3.00	Medium Sand
158.00	167.00	9.00	Clay

For Sunrise Water Sources

G. Singh
Auth. Sign.

Shanti

- ✓ 6.50 59-69.50 M+ Cement Sand (6)
- ✓ (8.50) 76-84.50 " (6)
- ✓ (10) 89.5-99.50 M Sand - (6)
- X (5.50) 101-104.50
- 177 (4.5) 113.50-128 - Coarse (1)
- ✓ (4) 142-146 - (3)

200mm (Plain)

- 6.02 ← 3.03 ✓
- 6.03 ← 3.00 ✓
- 6.02
- 6.03
- 6.06
- 6.01
- 6.01
- 6.03
- 6.02
- 6.03 ← 1.00 ✓
- 6.03 ← 5.03 ✓

200mm (Slotted)

- 6.00
- 6.00
- 6.00
- 6.03
- 6.01 ← 3.01 ✓
- 6.01 ← 3.00 ✓
- 195-245 (59.45-74.69)
- 285-285 (77.74-86.89)
- 295-345 (89.93-105.18)
- 385-445 (117.37-135.67)
- 465-478 (141.76-145.73)

