

UP TESTING LABORATORY PVT.LTD.

1GF, Aero Business Tower, Chander Nagar, Surya Nagar,
Ghaziabad, Uttar Pradesh - 201911
Phone No.: 0120-4295002, 9311834218, 9311834216
E-mail: info@up-testing.com

(FIELD BORE LOG CHART)

Project: बडोत - G.P. काम

Location: बागपत

Well No: 01

Water Table (Meter): 12.20

Depth of Bore Hole (Meter): 15.00

Date: 21/09/23

Coordinates: Lat - 27.041633

Long - 77.283526

No.	Depth in Meters from to	Type of Sample	Sample No.	Visual Field Observations	S.P.T. VALUE				Remarks
					N1	N2	N3	N (N2+N3)	
1	0.00-0.50	DS		सिल्टी कीले					
2	1.50-1.85	UD		सिल्टी सैंड					
3	1.85-2.30	SPT		॥	3	3	4	7	
4	3.00-3.35	UD							
5	3.35-3.80	SPT		सिल्टी सैंड	4	4	3	9	
6	4.50-4.85	UD							
7	4.85-5.30	SPT		सिल्टी सैंड कंक	5	6	6	12	
8	6.00-6.35	UD		॥					
9	6.35-6.80	SPT		॥	5	7	7	14	
10	7.50-7.85	UD		सिल्टी सैंड					
11	7.85-8.30	SPT		॥	6	8	10	18	
12	9.00-9.35	UD		॥					
13	9.35-9.80	SPT		॥	7	9	12	21	
14	10.50-10.85	UD		॥					
15	10.85-11.30	SPT		सैंड	8	13	14	27	
16	12.00-12.35	UD		॥					
17	12.35-12.80	SPT		॥	9	14	16	30	
18	13.50-13.85	UD		सैंड					
19	13.85-14.30	SPT		॥	10	17	18	35	
20	15.00-15.35	UD		॥					
21	15.35-15.80	SPT		॥	12	19	22	41	

CHECKED BY

SITE IN-CHARGE
MOBILE NO

राज

UP TESTING LABORATORY PVT.LTD.

ISO 9001:2015 & NABL Accredited

LGF, Aero Business Tower, Chander Nagar, Surya Nagar,
Ghaziabad, Uttar Pradesh -201011

Phone No.: 0120-4295002, 9311834218, 9311834216

E-mail: office@upltd.com, info@upltd.com



(FIELD BORE LOG CHART)

Block: बडीत उप. बास

District: बागपत

H.I. NO. 02

Water Table (Meter): 12.40

Depth of Bore Hole (Meter): 15.00

Date: 21/03/23

Coordinates: Lat - 29.041656

Long 77.283498

Sl. No.	Depth in Meters from to	Type of Sample	Sample No.	Visual Field Observations	S.P.T. VALUE				Remarks
					N1	N2	N3	N (N1+N2+N3)	
1	0.00-0.50	DS		सिल्टी कील					
2	1.50-1.85	UD		सिल्टी कील					
3	1.85-2.30	SPT			3	4	5	9	
4	3.00-3.35	UD							
5	3.35-3.80	SPT		सिल्टी कील	4	5	7	12	
6	4.50-4.85	UD		सिल्टी कील डबल					
7	4.85-5.30	SPT			5	6	8	14	
8	6.00-6.35	UD							
9	6.35-6.80	SPT			5	7	10	17	
10	7.50-7.85	UD		सिल्टी कील					
11	7.85-8.30	SPT			8	8	12	20	
12	9.00-9.35	UD							
13	9.35-9.80	SPT			7	10	13	23	
14	10.50-10.85	UD							
15	10.85-11.30	SPT			8	13	15	28	
16	12.00-12.35	UD							
17	12.35-12.80	SPT			9	14	16	30	
18	13.50-13.85	UD							
19	13.85-14.30	SPT			10	17	19	36	
20	15.00-15.35	UD							
21	15.35-15.80	SPT			11	20	22	42	

CHECKED BY

SITE IN-CHARGE

MOBILE NO

214

UP TESTING LABORATORY PVT.LTD.



ISO 9001:2015 & NABL Accredited
 LGE, Aero Business Tower, Chander Nagar, Surya Nagar,
 Ghaziabad, Uttar Pradesh -201011
 Phone No.: 0120-4295002, 9311834218, 9311834216
 E-mail: uptrtestinglab@gmail.com, uptrtestinglab.com

(FIELD BORE LOG CHART)

Block: वर्षात काप बाग

District: बागपट

Plot No: 63

Water Table (Meter): 12.30

Depth of bore Hole (Meter): 15.00

Date: 21/08/23

Coordinates: Lat - 29.04171

Long 77.28353

Sl. No.	Depth in Meters from to	Type of Sample	Sample No.	Visual Field Observations	S.P.T VALUE				Remarks
					N1	N2	N3	N (N2+N3)	
1	0.00-0.50	DS		सिल्टी क्ले					
2	1.50-1.85	UD		सिल्टी सैंड					
3	1.85-2.30	SPT			3	4	5	9	
4	3.00-3.35	UD							
5	3.35-3.80	SPT		सिल्टी सैंड	4	5	6	11	
6	4.50-4.85	UD		सिल्टी सैंड ब्लॉक					
7	4.85-5.30	SPT			5	7	7	14	
8	6.00-6.35	UD							
9	6.35-6.80	SPT			6	8	9	17	
10	7.50-7.85	UD		सिल्टी सैंड					
11	7.85-8.30	SPT			7	9	13	22	
12	9.00-9.35	UD							
13	9.35-9.80	SPT			8	10	14	24	
14	10.50-10.85	UD							
15	10.85-11.30	SPT		सैंड	9	12	13	25	
16	12.00-12.35	UD							
17	12.35-12.80	SPT			10	14	16	30	
18	13.50-13.85	UD							
19	13.85-14.30	SPT			9	16	17	33	
20	15.00-15.35	UD							
21	15.35-15.80	SPT			10	19	22	41	

CHECKED BY

SITE IN-CHARGE
 MOBILE NO
9811111111