BORE WELL DEVELOPMENT CHART (E/M)

SWSM/DWSM

NCC LTD.- GORAKHPUR (UP)

NAME OF THE DISTRICT- Gorakhpur

NAME OF THE BLOCK- Sahjanwa.

NAME OF THE GRAM PANCHAYAT- Newri Mapher.

NAME OF THE VILLAGE-

TYPE OF RIG M/C- R'C/DC.

SIZE OF BORE- 550x500.

STATIC WATER LEVEL-

J.E Incharge- A. Morya A.E Incharge- Balbhan yadav.

Discharge – 500 LPM

DEPTH B.G.L IN METER	BORING CHART	STRATA
0		
20.2M		clay.
30.4M		Medium Sand
34.3M		clay With Kankar.
38.5M		Sand with Kankar.
42.2M		hard clay.
46.6M		Fine to Medium Sand.
59.4M		Sandy clay.
72.6M		Medium Sand
92.2M		Soft clay.
96.5M		Medium to Fine sand.
104.3M		clay With Kankar.
112.7M		Medium Sand
129M		clay.
130M		

EXECUTED ASSEMBLY



ASSEMBLY DETAILS

200	mm Dia	Housing Pipe A.G.L=	.5	m
200	mm Dia	Housing Pipe	0 m to 35.65	m
200	mm Dia	Reducer	35.65 m to 35.85	m
150	mm Dia	Blind pipe	35.85 m to 59.5	m
150	mm Dia	Slotted pipe	59.5 m to 71.5	m
150	mm Dia	Blind pipe	71.5 m to 104.53	m
150	mm Dia	Slotted pipe	104.53 m to 110.53	m
150	mm Dia	Blind pipe	110.53 m to 116.53	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m
	mm Dia	pipe	m to	m

Total Assembly= 116.85 m + A.G.L (m) = 117.05 m

ABSTRACT

1.Drilling Started-

2.Drilling Completed/Lowering- 04-01-2023

3.Drilling Depth (m)- ~~130~~ AM 129

4.Assembly Lowered (m)- 117.05

5.Housing Pipe (m)- 36.15

6.Plain Pipe(m)- 62.70

7.Slotted Pipe(m)- 18 LCG

8.Reducer(m)- .20.

LOGGING REPORT

1- 20 – 30 = 10

2- 34 – 38 = 4

3- 42 – 46 = 4

4- 59 – 72 = 13.

5- 92 – 96 = 4

6- 104 – 112 = 8.

7-

8-

9-

10-

SOUND TEST-

VERTICALITY TEST-

NCC LTD	J.E & A.E	P.M.C/T.P.I.A	E.E