GROUND WATER SURVEY CONSULTANCY

GEOLOGISTS, GEOPHYSICISTS & TUBEWELL ENGINEERS

GEO-PHYSICAL WELL ELECTOLOGGING REPORT

Ref No:-A- 488

Date: - 20-03-2023

NAME OF SITE

Gram Panchayat- Sunaura Azmatpur

BLOCK- Dadrol DISTT- Shahjahanpur

NAME OF AGENCY

M/s NCC Ltd. Shahjahanpur



GROUND WATER SURVEY CONSULTANCY

Electric Well Logging, Geophysical Resistivity Survey, Ground Water Investigations.
112 A-Shree Nagar Colony, Firozabad Road, Agra- 282006
(M): 9412260823, 9794625420, 9761163000, Email: gwsc_agra@yahoo.com

ISO; 9001: 2015



REPORT ON GEOPHYSICAL WELL LOGGING

GRAM PANCHAYAT- SUNAURA AZMATPUR, BLOCK- DADROL, DISTT- SHAHJAHANPUR UNDER JAL JIVAN MISSION

Introduction:

A Deep bore hole was drilled 131 mtrs. depth. and Logged depth 130 mtrs. at above site. Was drilled by M/S NCC Ltd., Shahjahanpur.

On the request of M/S NCC Ltd., Shahjahanpur. a Geophysical well Logging in the above bore hole using IGIS Well Logger on 20.Mar.2023.

Logging Para meters - Self potential, short normal (N-16), Long Normal (N-64), Lateral. Details of major aquifer formations explored from logging of bore hole combined with the study of Strata Chart prepared from drill cuttings are given in the following table:-

S.No.	Depth range(m)	Thickness(m	Lithology	Expected Water Quality
1	0 - 5	5	Surface soil	
2.	5 - 12	7	Sandy clay	
3.	12 - 20	8	Clay kankar	
4.	20 - 47	27	Medium sand	Good
5.	47 - 53	6	Clay kankar	
6.	53 - 85*	32	Medium sand & kankar	Good
7.	85 - 92	7	Clay kankar	
8.	92 - 96	4	Sandy clay	
9.	96 - 102	6	Clay kankar	
10.	102 - 105	3	Fine sand	H. C. T. W. T.
11.	105 - 118*	13	Medium sand & kankar	Good
12.	118 - 121	3	Clay kankar	
13.	121 - 130*	9	Fine to Medium sand	Good



Conclusions and Recommendations :-

- 1. The Lithology broadly tallies with that of drill cutting strata chart.
- 2. The zones marked with asterisk (*) appear to be aquifer zones for possible development of tubewell.
- 3. The Quality of water is expected Good.
- 4. It is recommended to have a chemical and bacteriological analysis of the water sample before using it for human consumption or for any other use.
 - 5. All projections and recommendations are subject to the inherent limitations of the technique employed and there could be variations as the underground conditions are not always amenable to physical interpretations.

Geophy BISIST

Ag

Juan

Ground Water Survey Consultancy

Tegry Golder Difference Difference Office Nation Industria Industria Draft Cata (48) 0 Œ Rho a
N16 (SN;
LAT SE SE 区 Ohm m 9 ğ -02 6 -68 8 ş When the water was the standard of the standar ٥-5 5-8-G-8-8 ㅎ-\$ ଞ-8-8-65 70 Depth (m) 겆 8-辉-୫-**%**-ᅙ-র-ᅙ-115 129-125

