



putthi  
Ibrahimpur, Block: Jansath

m- N. K. G  
Resist. Stone

no2 after ngr.

Location:

Date: 1/4/2025

GGWC

Depth in m	SP	SN in Ohms		in Feet	Depth in m	SP	SN in ohm		in Feet
0				0.0	41	85	6.6		134.5
1				3.3	42	84	6.7		137.8
2				6.6	43	82	6.8		141.0
3	34	3.7		9.8	44	86	6.6	ms	144.3
4	41	4.2		13.1	45	84	6.6		147.6
5	46	8.8		16.4	46	82	6.8		150.9
6	44	5.2		19.7	47	81	6.5		154.2
7	48	3.3		23.0	48	84	6.6		157.4
8	49	3.6		26.2	49	82	6.6		160.7
9	64	3.4		29.5	50	81	6.5		164.0
10	62	4.1		32.8	51	86	6.5		167.3
11	61	3.5		36.1	52	85	6.4		170.6
12	66	3.0		39.4	53	89	6.2		173.8
13	68	2.9		42.6	54	91	6.3		177.1
14	67	3.3		45.9	55	94	6.3		180.4
15	64	3.1		49.2	56	92	6.4		183.7
16	72	3.5		52.5	57	91	6.5		187.0
17	71	3.4		55.8	58	96	6.4		190.2
18	76	3.2		59.0	59	92	6.2		193.5
19	78	3.4		62.3	60	94	6.3		196.8
20	79	4.0		65.6	61	96	6.0		200.1
21	81	4.5		68.9	62	98	5.9		203.4
22	82	5.0		72.2	63	94	5.8		206.6
23	84	5.2		75.4	64	86	5.7		209.9
24	85	5.2		78.7	65	89	5.6		213.2
25	84	5.1		82.0	66	91	5.7		216.5
26	76	5.2		85.3	67	94	5.5		219.8
27	72	5.3		88.6	68	91	6.1		223.0
28	71	5.6		91.8	69	94	6.2		226.3
29	74	5.7		95.1	70	96	6.0		229.6
30	72	5.7		98.4	71	92	6.2		232.9
31	76	5.5		101.7	72	91	6.0		236.2
32	75	4.2		105.0	73	90	5.9		239.4
33	78	2.9		108.2	74	91	5.8		242.7
34	79	2.9		111.5	75	96	6.0		246.0
35	81	3.4	cley	114.8	76	92	6.1		249.3
36	84	3.9		118.1	77	94	6.1		252.6
37	82	5.4		121.4	78	96	6.2		255.8
38	81	6.0		124.6	79	92	6.2		259.1
39	80	6.4		127.9	80	94	5.7		262.4
40	86	6.6		131.2	81	90	6.0		265.7

Depth in m	SP	SN		in Feet	Depth in m	SP	SN		in Feet
82	89	6.0		269.0	123	64	6.2		403.44
83	91	6.4		272.2	124	66	5.9		406.72
84	96	6.5		275.5	125	62	6.1		410
85	94	6.6		278.8	126	61	6.1		413.28
86	98	6.6		282.1	127	68	6.4		416.56
87	92	6.7		285.4	128	69	6.3		419.84
88	91	6.9		288.6	129	71	6.9		423.12
89	82	7.2		291.9	130	74	6.8		426.4
90	75	7.1		295.2	131	72	6.4		429.68
91	76	7.2		298.5	132	71	6.5		432.96
92	74	7.2		301.8	133	76	6.7		436.24
93	72	7.0		305.0	134	78	7.0		439.52
94	71	6.8		308.3	135	79	6.8		442.8
95	69	6.8		311.6	136	76	6.7		446.08
96	66	6.7		314.9	137	78	6.6		449.36
97	64	6.5		318.2	138	79	6.5		452.64
98	62	6.4		321.4	139	72	6.2		455.92
99	60	6.4		324.7	140	71	6.7		459.2
100	66	6.4		328.0	141	74	6.6		462.48
101	64	6.2		331.3	142	76	6.7		465.76
102	69	6.4		334.6	143	71	6.7		469.04
103	62	6.2		337.8	144	74	7.2		472.32
104	61	6.4		341.1	145	72	7.4		475.6
105	66	6.4		344.4	146	74	7.5		478.88
106	62	6.3		347.7	147	72	7.4		482.16
107	61	5.8		351.0	148	74	7.6		485.44
108	66	5.9		354.2	149	76	7.2		488.72
109	64	6.3		357.5	150	74	7.5		492
110	65	6.1		360.8	151				495.28
111	66	5.9		364.1	152				498.56
112	61	6.3		367.4	153				501.84
113	66	6.5		370.6	154				505.12
114	62	6.2		373.9	155				508.4
115	64	6.3		377.2	156				511.68
116	62	6.1		380.5	157				514.96
117	61	6.1		383.8	158				518.24
118	66	5.8		387.0	159				521.52
119	62	5.9		390.3	160				524.8
120	61	5.9		393.6	161				528.08
121	66	6.0		396.9	162				531.36
122	61	6.0		400.2	163				534.64